





**PRODUCT CATALOG** 

ULTRASOUND TABLES
IMAGING & PAIN MANAGEMENT TABLES
EXAM TABLES & PROCEDURE CHAIRS
PHYSICAL THERAPY TABLES



# TABLE OF CONTENTS

<b></b>	ASOUND IABLES4-17	
,	TABLE GUIDE6-7	
	MULTI-SPECIALTY TABLE8	
	ECHOCARDIOGRAPHY TABLE9	
	VASCULAR TABLE WITH FOWLER	
-	VASCULAR TABLE11	
-	WOMEN'S IMAGING TABLE 12	
	GENERAL 3-SECTION TABLE13	
	GENERAL TABLE WITH FOWLER14	
	GENERAL RECTANGULAR TOP TABLE15	
	FEATURES & OPTIONS16-17	
	ACCESSORIES	
IMAG	ING & PAIN MANAGEMENT TABLES 18-39	
	ING & PAIN MANAGEMENT TABLES 18-39 TABLE GUIDE20-21	
,		
,	TABLE GUIDE20-21	
,	TABLE GUIDE       20-21         CFPM400 & CFPM401 TABLES       22-23	
	TABLE GUIDE       20-21         CFPM400 & CFPM401 TABLES       22-23         CFPM300 & CFPM301 TABLES       24-25	
	TABLE GUIDE       20-21         CFPM400 & CFPM401 TABLES       22-23         CFPM300 & CFPM301 TABLES       24-25         CFPMB301 TABLE       26	
,	TABLE GUIDE       20-21         CFPM400 & CFPM401 TABLES       22-23         CFPM300 & CFPM301 TABLES       24-25         CFPMB301 TABLE       26         CFPM100 TABLE       27	
	TABLE GUIDE       20-21         CFPM400 & CFPM401 TABLES       22-23         CFPM300 & CFPM301 TABLES       24-25         CFPMB301 TABLE       26         CFPM100 TABLE       27         CFPMFXH TABLE       28	
	TABLE GUIDE       20-21         CFPM400 & CFPM401 TABLES       22-23         CFPM300 & CFPM301 TABLES       24-25         CFPMB301 TABLE       26         CFPM100 TABLE       27         CFPMFXH TABLE       28         DTPM300 TABLE       29	
	TABLE GUIDE       20-21         CFPM400 & CFPM401 TABLES       22-23         CFPM300 & CFPM301 TABLES       24-25         CFPMB301 TABLE       26         CFPM100 TABLE       27         CFPMFXH TABLE       28         DTPM300 TABLE       29         CFUR301 & CFUR401 TABLES       30-31	
	TABLE GUIDE       20-21         CFPM400 & CFPM401 TABLES       22-23         CFPM300 & CFPM301 TABLES       24-25         CFPMB301 TABLE       26         CFPM100 TABLE       27         CFPMFXH TABLE       28         DTPM300 TABLE       29         CFUR301 & CFUR401 TABLES       30-31         CFLU401 TABLE       32-33	





PROCEDURE CHAIRS & EXAM IA	DLE3 40-37
TABLE GUIDE	42-43
300 SERIES PROCEDURE CHAIR	44-45
100 SERIES PROCEDURE CHAIR	46-47
EC SERIES PROCEDURE CHAIR.	48-49
PG SERIES EXAM TABLES	50-51
PF SERIES EXAM TABLES	52-53
PX SERIES EXAM TABLES	54-55
POWERLINE EXAM TABLES	56-57
FEATURES & OPTIONS	58
ACCESSORIES	59
PHYSICAL THERAPY	
TABLE GUIDE	
PT400 TABLE	64
PT400M TABLE	65
PT300 TABLE	66
PT250 TABLE	67
PT150 & PT100 TABLE	68
POWERLINE	69
STORABLE MAT	7C
PORTABLE MANIPULATION TAE	3LE 71
ACCESSORIES	72-73
GENERAL ACCESSORIES	74-76
STOOLS	
BOLSTERS	
FACE RESTS & TABLE EXTENDE	
PADDING, FINISH, & FABRIC.	
PADDING	
STAINS & LACQUERS	
TEDDATOLICH EARDIC	70



# Innovating Health & Wellness Within Your World

Oakworks® has been providing customers with innovative products, excellent service, and cost effective solutions for almost 40 years. Oakworks® Medical has collaborated with leaders in the medical specialties we serve to create cutting edge designs that balance the needs of both patients and practitioners. We are committed to identifying the needs of our customers and providing quality solutions that are cost effective and safe.

Oakworks Medical tables and chairs are **FDA listed**, ensuring the highest level of safety for your patients. They are built in our **ISO13485 Certified** plant to guarantee consistently high quality products that perform well. Our confidence in our products is reflected in our industry leading 3 year parts, 2 year labor warranty.

## VISION

To bring reward (wealth & relationship) to our employees, suppliers, distributors, and customers, while utilizing our resources to the best of our ability to protect our local environment and world resources.

## **QUALITY POLICY**

OAKWORKS® senior management has a commitment to quality and is engaged to ensure excellence in our products and services.

OAKWORKS® employs principles of design excellence to develop products and services that consistently address customers' and other stakeholders' needs.

## **OUR PRODUCTS**

Oakworks manufactures a broad range of Medical products and we are always expanding our line. If you don't see what you want, tell us what you want. Our customers are our greatest asset, we appreciate the feedback and ideas. If you would like even more information, visit our website at www.oakworksmed.com.



# Thank you for your business!

Visit our website for more company and product details www.oakworksmed.com



### SAFETY LISTINGS

FDA listed; EU Council Directive - 93/42/EEC; ETL Test Reports to IEC/EN 60601-1, IEC/EN 60601-12, IEC/EN 62366; Authorization to Mark (ATM) to IEC 60601-1-6, ATM to ANSI/AAMI ES60601-1, ATM to CAN/CSA-C22.2 No. 60601-1

 ${\it OAkworks} \hbox{\it is a Registered Trademark of Oakworks, Inc. All rights reserved.}$ 

The information, specifications, and images in this catalog are based on the latest information available at the time of printing. Oakworks reserves the right to change the information at any time without notice. We strive to ensure that the colors displayed on our product imagery (online and in print) are as accurate as possible. However, due to the limitations of printers, scanners, computer monitors, and other equipment, the colors may not be accurate. Due to variations in materials, product specifications may vary.

# **ULTRASOUND TABLES**

# Excellent ergonomics

- Perfect for... Heart & Vascular Labs
  - Hospitals/Medical Centers
  - Women's Health Centers
  - Private Practice



Inspired by the leading ergonomic experts in sonography



# **SOUND** ERGONOMICS

- Decrease sonographer injury
- Features minimize exam times
- 550 lb. patient weight rating

Ultrasound Tables Page 4 call 717.235.6807



Start with a General Ultrasound Table, then simply add the features you want based on the type of ultrasound specialty you perform.



- Create the perfect table for what you do
- Don't pay for features you don't want
- Up to 12 different options to choose from

# Choose a Specialty Table

These models were designed to meet the needs of almost every kind of facility. You can add other options to create the perfect table for your specific requirements.

- 5 preconfigured models to choose from.
- Features grouped to maximize your efficiency.
- Add options to create your perfect table.









# **ULTRASOUND TABLES**

Multi-Specialty Table #67375-T\* 27" W #61803-T\* 30" W



FEATURES
Top: 27" (69cm) or 30" (76cm) wide x 72" (183cm) long
Electric Height Range: 22" - 38" (56-97cm)
Electric Trendelenburg/Reverse Tilt: ±15°
Electric Fowler Backrest 0-75°
Manual 4 Position Leg Rest 0-90°
Hand Control & Foot Control
Weight Capacity: 550 lb (250kg)
Padding: 3" (8cm) Comfort Foam™
4" (10cm) Locking Casters
Adjustable Access/Back Support - Left 0-85°
Adjustable Access/Back Support - Right 0-85°
Central Base Locking System
Paper Roll Holder
Stirrups
Warranty: 3 years parts, 2 years labor
FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS must be ordered with table	#
Accessory Mounting Plate	62123
Foot Control (Height, Tilt, Fowler, Cardio Panel)	65679
Non-USA electric system (contact us for details)	73134
Procedure Tray (30" W Only)	73127
Side Rails (set of 2)	61781
Sliding Cardio Panel - Electric (30" W, Left Side)	73131
Sliding Cardio Panel - Manual (30" W, Left Side)	73130
	•



# **Echocardiography Table** #65258-T\*

FEATURES	OPTIONS must be ordered with table	#
Top: 30" (76cm) wide x 72" (183cm) long	Accessory Mounting Plate	62123
Electric Height Range: 22" - 38" (56-97cm)	Central Base Locking System	61777
Electric Trendelenburg/Reverse Tilt: ±15°	(can not be used with Patient Lift Compatible Base)	01777
Electric Fowler Backrest 0-75°	Foot Control (Height, Tilt, Fowler)	61901
Hand Control	Foot Control (Height, Tilt, Fowler, Cardio Panel)	65679
Weight Capacity: 550 lb (250kg)	Non-USA electric system (contact us for details)	73134
Padding: 3" (8cm) Comfort Foam™	Patient Lift Compatible Base	65893
4" (10cm) Locking Casters	(can not be used with Central Base Locking System)	03093
Adjustable Access/Back Support - Right 0-85°	Side Rails (set of 2)	61781
Manual Sliding Cardio Panel - Left Side	Sliding Cardio Panel - Electric Upgrade	73131
Paper Roll Holder		
Warranty: 3 years parts, 2 years labor		
FDA listed, CE marked, cETLus listed, CB Certificate		



# Vascular Table with Fowler #66783-T\* 27" W #64219-T\* 30" W

FDA listed, CE marked, cETLus listed, CB Certificate


Paper Roll Holder Patient Safety Strap Side Rails (set of 2)

Warranty: 3 years parts, 2 years labor

Warranty: 3 years parts, 2 years labor

FDA listed, CE marked, cETLus listed, CB Certificate

FEATURES	OPTIONS must be ordered with table	#
Top: 27" (69cm) or 30" (76cm) wide x 72" (183cm) long	Accessory Mounting Plate	62123
Electric Height Range: 23" - 40" (58-102cm)	Adjustable Access/Back Support - Left 0-85°	73133
Electric Trendelenburg 15°	Adjustable Access/Back Support - Right 0-85°	73132
Reverse Trendelenburg: 40° + Electric Fowler = 70°	Central Base Locking System	61777
Electric Fowler Backrest	(can not be used with Patient Lift Compatible Base)	01///
Hand Control	Foot Control (Height, Tilt, Fowler, Vascular)	65679
Weight Capacity: 550 lb (250kg)	Non-USA electric system (contact us for details)	73134
Padding: 3" (8cm) Comfort Foam™	Patient Lift Compatible Base	65893
4" (10cm) Locking Casters	(can not be used with Central Base Locking System)	
Integrated Foot Board (split, drop away)	Sliding Cardio Panel - Manual (30" W, Left Side)	73130



**O**AKWORKS<sup>®</sup>

Vascular Table without Fowler #70217-T\* 27" W #64928-T\* 30" W

FEATURES	OPTIONS must be ordered with table	#
Top: 27" (69cm) or 30" (76cm) wide x 72" (183cm) long	Accessory Mounting Plate	62123
Electric Height Range: 23" - 40" (58-102cm)	Adjustable Access/Back Support - Left 0-85°	73133
Electric Trendelenburg 15°	Adjustable Access/Back Support - Right 0-85°	73132
Reverse Trendelenburg: 40° Hand Control	Central Base Locking System (can not be used with Patient Lift Compatible Base)	61777
Weight Capacity: 550 lb (250kg)	Foot Control (Height, Tilt, Vascular)	61901
Padding: 3" (8cm) Comfort Foam™	Non-USA electric system (contact us for details)	73134
4" (10cm) Locking Casters Integrated Foot Board (split, drop away)	Patient Lift Compatible Base (can not be used with Central Base Locking System)	65893
Paper Roll Holder	Sliding Cardio Panel - Manual (30" W, Left Side)	73130
Patient Safety Strap		•
Side Rails (set of 2)		

See options and accessories on page 16-17.

\*Fabric color code must be specified. Fabric & padding options on pages 77-79.

Page 6 call 717.235.6807 Ultrasound Tables

# **ULTRASOUND TABLES**

Women's Imaging Table #66127-T\* 27" W #61848-T\* 30" W



3 3	
FEATURES	<b>OPTIONS</b> must
Top: 27" (69cm) or 30" (76cm) wide x 72" (183cm) long	Accessory Mounting P
Electric Height Range: 22" - 38" (56-97cm)	Adjustable Access/Bac
Electric Trendelenburg/Reverse Tilt: ±15°	Central Base Locking
Electric Fowler Backrest 0-75°	(can not be used with
Manual 4 Position Leg Rest 0-90°	Foot Control (Height,
Hand Control	Foot Control (Height,
Weight Capacity: 550 lb (250kg)	Non-USA electric syst
Padding: 3" (8cm) Comfort Foam™	Patient Lift Compatible
4" (10cm) Locking Casters	(can not be used with
Adjustable Access/Back Support - Right 0-85°	Procedure Tray (30" \
Paper Roll Holder	Side Rails (set of 2)
Stirrups	Sliding Cardio Panel - Ele
Warranty: 3 years parts, 2 years labor	Sliding Cardio Panel - Ma
FDA listed, CE marked, cETLus listed, CB Certificate	(no charge)

OPTIONS must be ordered with table	#
Accessory Mounting Plate	62123
Adjustable Access/Back Support - Left 0-85°	73133
Central Base Locking System (can not be used with Patient Lift Compatible Base)	61777
Foot Control (Height, Tilt, Fowler)	61901
Foot Control (Height, Tilt, Fowler, Cardio Panel)	65679
Non-USA electric system (contact us for details)	73134
Patient Lift Compatible Base (can not be used with Central Base Locking System)	65893
Procedure Tray (30" W Only)	73127
Side Rails (set of 2)	61781
Sliding Cardio Panel - Electric (30" W, Left Side)	74080
Sliding Cardio Panel - Manual (30" W, Left Side) (no charge)	73130



# General 3-Section Top Table #62963-T\* 27" W #63028-T\* 30" W

FEATURES
Top: 27" (69cm) or 30" (76cm) wide x 72" (183cm) long
Electric Height Range: 22" - 38" (56-97cm)
Electric Trendelenburg/Reverse Tilt: ±15°
Electric Fowler Backrest 0-75°
Manual 4 Position Leg Rest 0-90°
Hand Control
Weight Capacity: 550 lb (250kg)
Padding: 3" (8cm) Comfort Foam™
4" (10cm) Locking Casters
Paper Roll Holder
Warranty: 3 years parts, 2 years labor
FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS must be ordered with table	#
Accessory Mounting Plate	62123
Adjustable Access/Back Support - Left 0-85°	73133
Adjustable Access/Back Support - Right 0-85°	73132
Central Base Locking System (can not be used with Patient Lift Compatible Base)	61777
Foot Control (Height, Tilt, Fowler)	61901
Foot Control (Height, Tilt, Fowler, Cardio Panel)	65679
Non-USA electric system (contact us for details)	73134
Patient Lift Compatible Base (can not be used with Central Base Locking System)	65893
Procedure Tray (30" W Only)	73127
Side Rails (set of 2)	61781
Sliding Cardio Panel - Electric (30" W, Left Side)	74080
Sliding Cardio Panel - Manual (30" W, Left Side)	73130
Stirrups	71001



# General Table with Fowler #69222-T\* 27" W

#69222-T\* 27" W #61988-T\* 30" W

ı	FEATURES
	Top: 27" (69cm) or 30" (76cm) wide x 72" (183cm) long
	Electric Height Range: 22" - 38" (56-97cm)
	Electric Trendelenburg/Reverse Tilt: ±15°
	Electric Fowler Backrest 0-75°
	Hand Control
	Weight Capacity: 550 lb (250kg)
	Padding: 3" (8cm) Comfort Foam™
	4" (10cm) Locking Casters
	Paper Roll Holder
	Warranty: 3 years parts, 2 years labor
	FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS must be ordered with table	#
Accessory Mounting Plate	62123
Adjustable Access/Back Support - Left 0-85°	73133
Adjustable Access/Back Support - Right 0-85°	73132
Central Base Locking System (can not be used with Patient Lift Compatible Base)	61777
Foot Control (Height, Tilt, Fowler)	61901
Foot Control (Height, Tilt, Fowler, Cardio Panel)	65679
Non-USA electric system (contact us for details)	73134
Patient Lift Compatible Base (can not be used with Central Base Locking System)	65893
Side Rails (set of 2)	61781
Sliding Cardio Panel - Electric (30" W, Left Side)	74080
Sliding Cardio Panel - Manual (30" W, Left Side)	73130



# General Rectangular Top Table #68666-T\* 27" W #61989-T\* 30" W

FEATURES
Top: 27" (69cm) or 30" (76cm) wide x 72" (183cm) long
Electric Height Range: 22" - 38" (56-97cm)
Electric Trendelenburg/Reverse Tilt: ±15°
Hand Control
Weight Capacity: 550 lb (250kg)
Padding: 3" (8cm) Comfort Foam™
4" (10cm) Locking Casters
Paper Roll Holder
Warranty: 3 years parts, 2 years labor
FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS must be ordered with table	#
Accessory Mounting Plate	62123
Adjustable Access/Back Support - Left 0-85°	73133
Adjustable Access/Back Support - Right 0-85°	73132
Central Base Locking System (can not be used with Patient Lift Compatible Base)	61777
Foot Control (Height, Tilt)	61901
Non-USA electric system (contact us for details)	73134
Patient Lift Compatible Base (can not be used with Central Base Locking System)	65893
Side Rails (set of 2)	61781
Sliding Cardio Panel - Manual (30" W, Left Side)	73130



See options and accessories on page 16-17.

\*Fabric color code must be specified. Fabric & padding options on pages 77-79.

# MULTI-SPECIALTY TABLE

• 550 lb (250kg) bariatric rated lift & load capacity

• Twin tower design for added strength & rigidity

• Dynamic 22" to 38" (56-97cm) adjustable height range for wheelchair transfer & ergonomic working heights



Easily converts to fully upright chair position in seconds!



4 Position Leg Section

## **MULTI-SPECIALTY TABLE**

#67375-T\* 27" W

Biopsies

#61803-T\* 30" W

FEATURES	
3 Section Top	27"(69cm) or 30"(76cm) wide x 72"(183cm) long
Backrest	34" (86cm) long
Seat	24" (6 l cm) long
Leg Rest	13" (33cm) long
Motion I	Electric Height Range 22"- 38" (56-97cm)
Motion 2	Electric Trendelenburg/Reverse Tilt ±15°
Motion 3	Electric Fowler Backrest 0-75°
Motion 4	Manual 4 position Leg Rest 0-90°
Controls	Multi-function hand & foot control
Weight Capacity	550 lb (250kg)
Product Weight	359 lb (163kg)
Padding	3"(8cm) Comfort Foam™
Included Features	4" (10cm) locking casters, Adjustable access back support (left & right) 0-85°, Central base locking system, Paper roll holder, Stirrups (Retractable foot rests)
Warranty	3 years parts, 2 years labor
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS must be ordered	with table. See page 16 - 17 for details.	#
Accessory Mounting Plate	Fowler end	62123
Foot Control	Height, Tilt, Fowler, Cardio Panel	65679
Non-USA electric system	please contact us for order details	73134
Procedure Tray 30" (76 cm) Width Only	12.25" (6cm) x 10.25" (26cm) and holds 2 quarts (1.9 liters)	73127
Side Rails (set of 2)	23.5" (60cm) long x 6" (15cm) tall (from surface of table)	61781
Sliding Cardio Panel - Electric	30" (76cm) width table, left side	73131
Sliding Cardio Panel - Manual	30" (76cm) width table, left side (no charge)	73130
ACCESSORIES order any time. See accessories on page 17.		#
Detachable Arm Board	Use with T-rail adapter 5"(13cm) wide x 20.5" (52cm) long	62192
QuickLock™ Head Rest (black) & AeroCel Pad	Comfortable, adjustable prone or supine support (requires mounting plate)	PKG7554*
Table Extender	24" (61cm) wide x 12" (30cm) long (requires mounting plate)	63487
T-rail Adapter 8" (20cm) long	Attaches to the backrest for use with USA format T-rail attachable accessories.	61902

\*Fabric color code must be specified. Fabric & padding options on pages 77-79.

Ultrasound Tables Page 8 call 717.235.6807

# ECHOCARDIOGRAPHY TABLE

- Sliding cardio panel allows you to adjust the opening to the size you need
- Electric or manual sliding cardiac panel opens as wide as 15" (38cm). Great for left or right handed scanning
- 22" to 38" (56-97cm) height range supports ergonomic working heights for both echocardiograms & stress echo
- Designed specifically for vascular & cardiac exams
- Dual tower design for added strength & rigidity allowing a 550 lb (250kg) pound lift/load capacity
- 8 foot power cord



- Vascular exams
- All abdominal & superficial structures exams
- Musculoskeletal exams
- Biopsies



Adjustable Access/Back Support



Sliding Cardio Panel opens as wide as 15" (38cm)

# ECHOCARDIOGRAPHY TABLE #65258-T\*

FEATURES	
2 Section Top	30" (76cm) wide x 72" (183cm) long
Backrest	34" (86cm) long
Seat	38" (97cm) long
Motion I	Electric Height Range 22"- 38" (56-97cm)
Motion 2	Electric Trendelenburg/Reverse Tilt ±15°
Motion 3	Electric Fowler Backrest 0-75°
Motion 4	Manual Sliding Cardio Panel opens 15" (38cm)
Controls	Multi-function hand control
Weight Capacity	550 lb (250kg)
Product Weight	359 lb (163kg)
Padding	3" (8cm) Comfort Foam™
Included Features	4"(10cm) locking casters, Adjustable access back support (right) 0-85°, Manual sliding cardio panel (left) opens 15"(38cm), Paper roll holder
Warranty	3 years parts, 2 years labor
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS must be ordered with table. See page 16 - 17 for details.		#
Accessory Mounting Plate	Fowler end	62123
Central Base Locking System	Not available with Patient Lift Compatible Base	61777
Foot Control	Height, Trendelenburg, Backrest	61901
Foot Control	Height, Trendelenburg, Backrest, Cardio Panel	65679
Non-USA electric system	please contact us for order details	73134
Patient Lift Compatible Base	Not available with Central Base Locking System	65893
Side Rails (set of 2)	23.5" (60cm) long x 6" (15cm) tall (from surface of table)	61781
Sliding Cardio Panel - Electric	Upgrade your manual panel opens 15" (38cm)	73131
ACCESSORIES order any time. See accessories on page 17.		#
Detachable Arm Board	Use with T-rail adapter 5"(13cm) wide x 20.5" (52cm) long	62192
T-rail Adapter 8" (20cm) long	Attaches to the backrest for use with USA format T-rail attachable accessories.	61902
Table Extender	24" (61cm) wide x 12" (30cm) long (requires mounting plate)	63487
QuickLock™ Head Rest (black) & AeroCel Pad	Comfortable, adjustable prone or supine support (requires mounting plate)	PKG7554*

\*Fabric color code must be specified. Fabric & padding options on pages 77-79.

# VASCULAR TABLE WITH FOWLER

Dual towers & electric fowler makes 70° reverse Trendelenburg a reality<sup>†</sup>

• Safely position clients for Venous Reflux studies.

Split foot board design allows non-weight bearing exams and fold down out of the way for carotid artery exams. (see page 11)



Easy Hand Control Adjustments Up To 70° Reverse Trendelenburg

"Finally we have a table designed for vascular ultrasound!"

Patricia A Poe, BA RVT FSVU Director Noninvasive Vascular Laboratory Services,



- Venous reflux studies
- All other vascular exams
- Abdominal & superficial structures exams
- Musculoskeletal exams
- Biopsies

# VASCULAR TABLE WITH FOWLER #66783-T\* 27" W

#64219-T\* 30" W

FEATURES	
2 Section Top	27"(69cm) or 30"(76cm) wide x 72"(183cm) long
Backrest	34" (86cm) long
Seat	38" (97cm) long
Motion I	Electric Height Range 23"- 40" (58-102cm)
Motion 2	Electric Trendelenburg/Reverse Tilt ± 15°
Motion 3	Electric Additional Reverse Trendelenburg 0-25° (40° total)
Motion 4 <sup>†</sup>	Electric 0-75° Backrest (at 40° max tilt, 70° functional)
Controls	Multi-function hand control
Weight Capacity	550 lb (250kg)
Product Weight	452 lb (205kg)
Padding	3" (8cm) Comfort Foam™
Included Features	4"(10cm) locking casters, Integrated foot board (split, drop away), Paper roll holder, Patient safety strap, Side rails (2) 23.5"(60cm) long x 6"(15cm) tall (from surface of table)
Warranty	3 years parts, 2 years labor
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate


OPTIONS must be ordered u	vith table. See page 16 - 17 for details.	#
Accessory Mounting Plate	Fowler end	62123
Adjustable Access/Back Support	Left side 0-85°	73133
Adjustable Access/Back Support	Right side 0-85°	73132
Central Base Locking System	Not available with Patient Lift Compatible Base	61777
Foot Control	Height, Trendelenburg, Backrest, Vascular	65679
Non-USA electric system	Please contact us for order details	73134
Patient Lift Compatible Base	Not available with Central Base Locking System	65893
Sliding Cardio Panel - Manual	30" (76cm) width table, left side opens 15" (38cm)	73130
ACCESSORIES order any time. See accessories on page 17.		#
Detachable Arm Board	Use with T-rail adapter 5"(13cm) wide x 20.5"(52cm) long	62192
QuickLock™ Head Rest (black) & AeroCel Pad	Comfortable, adjustable prone or supine support (requires mounting plate)	PKG7554*
Table Extender	24" (61cm) wide x 12" (30cm) long (requires mounting plate)	63487
T-rail Adapter 8" (20cm) long	Attaches to the backrest for use with USA format T-rail attachable accessories.	61902

\*Fabric color code must be specified. Fabric & padding options on pages 77-79.

Ultrasound Tables Page 10 call 717.235.6807

# VASCULAR TABLE WITHOUT FOWLER

- Dynamic 23" to 40" (58-102cm) adjustable height range for wheelchair transfer & ergonomic working heights
- Angles up to 40°
- Split foot board design allows non-weight bearing exams and fold down out of the way for carotid artery exams.
- Plenty of room for your legs or equipment under the table



Integrated Foot Boards Allow Staggered Positions & Drop Out Of The Way.







Recommended for:

- All vascular except reflux studies
- Abdominal & superficial structures exams
- Musculoskeletal exams
- Biopsies

## **VASCULAR TABLE**

#70217-T\* 27" W

#64928-T\* 30" W

FEATURES	
Rectangular Top	27" (69cm) or 30" (76cm) wide x 72" (183cm) long
Motion I	Electric Height Range 23"- 40" (58-102cm)
Motion 2	Electric Trendelenburg/Reverse Tilt ±15°
Motion 3	Electric Additional Reverse Trendelenburg 0-25° (40° total)
Controls	Multi-function hand control
Weight Capacity	550 lb (250kg)
Product Weight	452 lb (205kg)
Padding	3"(8cm) Comfort Foam™
Included Features	4"(10cm) locking casters, Integrated foot board (split, drop away), Paper roll holder, Patient safety strap, Side rails (2) 23.5"(60cm) long x 6"(15cm) tall (from surface of table)
Warranty	3 years parts, 2 years labor
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS must be ordered	with table. See page 16 - 17 for details.	#
Accessory Mounting Plate	Fowler end	62123
Adjustable Access/Back Support	Left side 0-85°	73133
Adjustable Access/Back Support	Right side 0-85°	73132
Central Base Locking System	Not available with Patient Lift Compatible Base	61777
Foot Control	Height,Trendelenburg,Vascular	61901
Non-USA electric system	Please contact us for order details	73134
Patient Lift Compatible Base	Not available with Central Base Locking System	65893
Sliding Cardio Panel - Manual	30" (76cm) width table, left side opens 15" (38cm)	73130
ACCESSORIES order any time. See accessories on page 17.		#
Detachable Arm Board	Use with T-rail adapter 5"(13cm) wide x 20.5" (52cm) long	62192
QuickLock™ Head Rest (black) & AeroCel Pad	Comfortable, adjustable prone or supine support (requires mounting plate)	PKG7554*
Table Extender	24" (61cm) wide x 12" (30cm) long (requires mounting plate)	63487
T-rail Adapter 8" (20cm) long	Attaches to the backrest for use with USA format T-rail attachable accessories.	61902

\*Fabric color code must be specified. Fabric & padding options on pages 77-79.

# VOMEN'S IMAGING TABLE

- Full featured 3 section table top design for all Women's Imaging ultrasound modalities
- 550 lb (250kg) bariatric rated lift & load capacity
- · Twin tower design for added strength and rigidity
- Sleek base design promotes unobstructed compatibility with ultrasound equipment ensuring better ergonomic conditions for the sonographer



Adjustable Access Back Support



Stirrups

- Musculoskeletal exams
- Vascular exams
- Biopsies

## **WOMEN'S IMAGING TABLE**

#66127-T\* 27" W #61848-T\* 30" W

FEATURES	
3 Section Top	27"(69cm) or 30"(76cm) wide x 72"(183cm) long
Backrest	34"(86cm) long
Seat	24"(61cm) long
Leg Rest	13"(33cm) long
Motion I	Electric Height Range 22"- 38" (56-97cm)
Motion 2	Electric Trendelenburg/Reverse Tilt ±15°
Motion 3	Electric Fowler Backrest 0-75°
Motion 4	Manual 4 position Leg Rest 0-90°
Controls	Multi-function hand control
Weight Capacity	550 lb (250kg)
Product Weight	359 lb (163kg)
Padding	3"(8cm) Comfort Foam™
Included Features	4" (10cm) locking casters, Adjustable access back support (right) 0-85°, Paper roll holder, Stirrups (Retractable foot rests)
Warranty	3 years parts, 2 years labor
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS must be ordered	with table. See page 16 - 17 for details.	#
Accessory Mounting Plate	Fowler end	62123
Adjustable Access/Back Support	Left side 0-85°	73133
Foot Control	Height,Trendelenburg, Fowler	61901
Foot Control	Height,Trendelenburg, Fowler, Cardio Panel	65679
Central Base Locking System	Not available with Patient Lift Compatible Base	61777
Non-USA electric system	please contact us for order details	73134
Patient Lift Compatible Base	Not available with Central Base Locking System	65893
Procedure Tray 30" (76 cm) Width Only	12.25" (6cm) x 10.25" (26cm) and holds 2 quarts (1.9 liters)	73127
Side Rails (set of 2)	23.5" (60cm) long x 6" (15cm) tall (from surface of table)	61781
Sliding Cardio Panel - Electric	30" (76cm) width table, left side	74080
Sliding Cardio Panel - Manual	30" (76cm) width table, left side	73130
ACCESSORIES order any time. See accessories on page 17.		#
Detachable Arm Board	Use with T-rail adapter 5"(13cm) wide x 20.5" (52cm) long	62192
QuickLock™ Head Rest (black) & AeroCel Pad	Comfortable, adjustable prone or supine support (requires mounting plate)	PKG7554*
Table Extender	24" (61cm) wide x 12" (30cm) long (requires mounting plate)	63487
T-rail Adapter 8" (20cm) long	Attaches to the backrest for use with USA format T-rail attachable accessories.	61902

\*Fabric color code must be specified. Fabric & padding options on pages 77-79.

Ultrasound Tables Page 12 call 717.235.6807

# GENERAL 3 SECTION TOP TABLE

- Three section top table with 12 optional features to customize your table
- Sleek base design promotes unobstructed compatibility with ultrasound equipment ensuring better ergonomic conditions for the sonographer



Easily Converts To Fully Upright Chair Position In Seconds!



## **GENERAL 3 SECTION TOP TABLE**

4 Position Leg Section

#62963-T\* 27" W #63028-T\* 30" W

FEATURES	
3 Section Top	27"(69cm) or 30"(76cm) wide x 72"(183cm) long
Backrest	34" (86cm) long
Seat	24" (61 cm) long
Leg Rest	13" (33cm) long
Motion I	Electric Height Range 22"- 38" (56-97cm)
Motion 2	Electric Trendelenburg/Reverse Tilt ± 1 5°
Motion 3	Electric Fowler Backrest 0-75°
Motion 4	Manual 4 position Leg Rest 0-90°
Controls	Multi-function hand control
Weight Capacity	550 lb (250kg)
Product Weight	359 lb (163kg)
Padding	3"(8cm) Comfort Foam™
Included Features	4"(10cm) locking casters, Paper roll holder
Warranty	3 years parts, 2 years labor
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS must be ordered with table. See page 16 - 17 for details.		#
Accessory Mounting Plate	Fowler end	62123
Adjustable Access/Back Support	Left side 0-85°	73133
Adjustable Access/Back Support	Right side 0-85°	73132
Central Base Locking System	Not available with Patient Lift Compatible Base	61777
Foot Control	Height, Trendelenburg, Fowler	61901
Foot Control	Height, Trendelenburg, Fowler, Cardio Panel	65679
Non-USA electric system	please contact us for order details	73134
Patient Lift Compatible Base	Not available with Central Base Locking System	65893
Procedure Tray 30" (76 cm) Width Only	12.25" (6cm) x 10.25" (26cm) and holds 2 quarts (1.9 liters)	73127
Side Rails (set of 2)	23.5" (60cm) long x 6" (15cm) tall (from surface of table)	61781
Sliding Cardio Panel - Electric	30" (76cm) width table, left side	74080
Sliding Cardio Panel - Manual	30" (76cm) width table, left side	73130
Stirrups (Retractable Foot Rests)	Pull out from under table, fully adjustable	71001
ACCESSORIES order any ti	me. See accessories on page 17.	#
Detachable Arm Board	Use with T-rail adapter 5"(13cm) wide x 20.5" (52cm) long	62192
QuickLock™ Head Rest (black) & AeroCel Pad	Comfortable, adjustable prone or supine support (requires mounting plate)	PKG7554*
Table Extender	24" (61cm) wide x 12" (30cm) long (requires mounting plate)	63487
T-rail Adapter 8" (20cm) long	Attaches to the backrest for use with USA format T-rail attachable accessories.	61902

Vascular exams

Biopsies

\*Fabric color code must be specified. Fabric & padding options on pages 77-79.

# GENERAL TABLE WITH FOWLER

- 2 section top table with many optional features to customize your needs
- Dynamic 22" to 38" (56-97cm) adjustable height range for wheelchair transfer & ergonomic working heights
- 550 lb (250kg) bariatric rated lift & load capacity
- Twin tower design for added strength & rigidity







Hand Control



- Musculoskeletal exams
- Vascular exams
- Biopsies

## **GENERAL TABLE WITH FOWLER**

#69222-T\* 27" W #61988-T\* 30" W

FEATURES	
2 Section Top	27" (69cm) or 30" (76cm) wide x 72" (183cm) long
Backrest	34" (86cm) long
Seat	38" (97cm) long
Motion I	Electric Height Range 22"- 38" (56-97cm)
Motion 2	Electric Trendelenburg/Reverse Tilt ±15°
Motion 3	Electric Fowler Backrest 0-75°
Controls	Multi-function hand control
Weight Capacity	550 lb (250kg)
Product Weight	359 lb (163kg)
Padding	3" (8cm) Comfort Foam™
Fabric	Premium, PVC free TerraTouch™
Included Features	4"(10cm) locking casters, Paper roll holder
Warranty	3 years parts, 2 years labor
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS must be ordered w	vith table. See page 16 - 17 for details.	#
Accessory Mounting Plate	Fowler end	62123
Adjustable Access Back Support	Left side 0-85°	73133
Adjustable Access Back Support	Right side 0-85°	73132
Central Base Locking System	Not available with Patient Lift Compatible Base	61777
Foot Control	Height, Trendelenburg, Backrest	61901
Foot Control	Height, Trendelenburg, Backrest, Cardio Panel	65679
Non-USA electric system	please contact us for order details	73134
Patient Lift Compatible Base	Not available with Central Base Locking System	65893
Side Rails (set of 2)	23.5" (60cm) long x 6" (15cm) tall (from surface of table)	61781
Sliding Cardio Panel - Electric	30" (76cm) width table, left side opens 15" (38cm)	74080
Sliding Cardio Panel - Manual	30" (76cm) width table, left side opens 15" (38cm)	73130
ACCESSORIES order any tin	ne. See accessories on page 17.	#
Detachable Arm Board	Use with T-rail adapter 5"(13cm) wide x 20.5"(52cm) long	62192
QuickLock™ Head Rest (black) & AeroCel Pad	Comfortable, adjustable prone or supine support (requires mounting plate)	PKG7554*
Table Extender	24" (61cm) wide x 12" (30cm) long (requires mounting plate)	63487
T-rail Adapter 8" (20cm) long	Attaches to the backrest for use with USA format T-rail attachable accessories.	61902

\*Fabric color code must be specified. Fabric & padding options on pages 77-79.

Page 14 Ultrasound Tables call 717.235.6807

# GENERAL RECTANGULAR TOP TABLE

- Flat top table with many optional features to customize your needs
- 550 lb (250kg) bariatric rated lift and load capacity





Trendelenburg/Reverse



22" - 38" Height Range

# Recommended for:

- Abdominal & superficial structures exams
- Musculoskeletal exams
- Vascular exams
- Biopsies

## GENERAL RECTANGULAR TOP

#68666-T\* 27" W #61989-T\* 30" W

FEATURES	
Rectangular Top	27" (69cm) or 30" (76cm) wide x 72" (183cm) long
Motion I	Electric Height Range 22"- 38" (56-97cm)
Motion 2	Electric Trendelenburg/Reverse Tilt ±15°
Controls	Multi-function hand control
Weight Capacity	550 lb (250kg)
Product Weight	359 lb (163kg)
Padding	3"(8cm) Comfort Foam™
Fabric	Premium, PVC free TerraTouch™
Included Features	4" (10cm) locking casters, Paper roll holder
Warranty	3 years parts, 2 years labor
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS must be ordered	with table. See page 16 - 17 for details.	#
Accessory Mounting Plate	Either end	62123
Adjustable Access Back Support	Left side 0-85°	73133
Adjustable Access Back Support	Right side 0-85°	73132
Central Base Locking System	Not available with Patient Lift Compatible Base	61777
Foot Control	Height,Trendelenburg	61901
Non-USA electric system	Please contact us for order details	73134
Patient Lift Compatible Base	Not available with Central Base Locking System	65893
Side Rails (set of 2)	23.5" (60cm) long x 6" (15cm) tall (from surface of table)	61781
Sliding Cardio Panel - Manual	30" (76cm) width table, left side opens 15" (38cm)	73130
ACCESSORIES order any time. See accessories on page 17.		#
Detachable Arm Board	Use with T-rail adapter 5"(13cm) wide x 20.5" (52cm) long	62192
QuickLock™ Head Rest (black) & AeroCel Pad	Comfortable, adjustable prone or supine support (requires mounting plate)	PKG7554*
Table Extender	24" (61cm) wide x 12" (30cm) long (requires mounting plate)	63487
T-rail Adapter 8" (20cm) long	Attaches to the backrest for use with USA format T-rail attachable accessories.	61902

\*Fabric color code must be specified. Fabric & padding options on pages 77-79.

# **ULTRASOUND FEATURES & OPTIONS**

# ADJUSTABLE ACCESS BACK SUPPORT

Left: #73133 Right: #73132

Adjustable with 5 positions 0-85°, allowing easy access for sonographer to the far side & back support for patients.

10"(25cm) wide x 15.5" (39cm) long

Standard Feature: Right Side - Multi-Specialty, Echocardiography, & Women's Imaging Left Side - Multi-Specialty

Option: Right Side - Vascular Table with Fowler, Vascular Table without Fowler, General 3-Section, General with Fowler, & General Rectangular Top

Left Side - Vascular Table with Fowler, Vascular Table without Fowler, Women's Imaging, General 3-Section, General with Fowler, & General Rectangular Top



### SLIDING CARDIO PANEL

Electric: #73131 Manual: #73130

The sliding cardio panel allows you to adjust the opening to the size you need, up to 15" (38cm). 10" (25cm) wide x 28" (71cm) long. Great for left or right handed scanning. Can also be used as an armrest. Available in manual or electric adjustment options. Available on left side of 30" (76cm) width tables only.

Standard Feature: Manual - Echocardiography

Option: Manual - Multi-Specialty, Vascular Table with Fowler, Vascular Table without Fowler, Women's Imaging, General 3-Section, General with Fowler, & General Rectangular Top

Electric - Multi-Specialty, Echocardiography, Women's Imaging, General 3-Section, & General with Fowler



### PATIENT LIFT COMPATIBLE BASE #65893

This option allows the use of patient lifts & easy wheel chair transfers to minimize or eliminate caregiver injuries associated with patient transfers. The high clearance base permits all patient lifts to slide easily under the center of the table for stable transfers while not increasing the low height range of the tables that enable easy wheel chair transfers. Must be ordered with table.

- Includes larger, 5" (13cm) diameter Heavy Duty locking casters
- Provides 6.5" (17cm) clearance for patient lift
- Central Base Locking System not available with this option

Option: Echocardiography, Vascular Table with Fowler, Vascular Table without Fowler, Women's Imaging, General 3-Section, General with Fowler, & General Rectangular Top



# FULL FUNCTION CONTROLS #enquire for part number

You may choose to have two controls: two foot or one hand & one foot.

Option: All Exam Tables & Procedure Chairs



Multi-Function Foot Control



Multi-Function Hand Control

## PROCEDURE TRAY #73127

Retractable, removable stainless steel. 12.25" (6cm) x 10.25" (26cm) & holds 2 quarts (1.9 liters). Available on 30" (76cm) wide tables only.

Option: Multi-Specialty, Women's Imaging, & General 3-Section



# ACCESSORY MOUNTING PLATE

#62123

Add a face rest or table extender to your table.

Option: all Ultrasound tables.



\*Fabric color code must be specified. Fabric color options on page 79.

Page 16 call 717.235.6807 *Ultrasound Tables* 

# **ULTRASOUND FEATURES & OPTIONS**

## STIRRUPS #71001

Adjust to a wide range of angles & lengths to accommodate any patient or procedure.

Standard Feature: Multi-Specialty & Women's Imaging

Option: General 3-Section



## SIDE RAILS #61781

Increase stability & security for your patient. Fold down out of the way when not in use. 23.5" (60cm) long x6" (15cm) tall (from surface of table)

Standard Feature: Vascular Tables

Option: Multi-Specialty, Echocardiography, Women's Imaging, General 3-Section, General with Fowler, General Rectangular Top



# CENTRAL BASE LOCKING SYSTEM #61777

Easily lock your table into place with our unique system that allows locking from both sides of the table.

Standard Feature: Multi-Specialty

Option: All Ultrasound Tables (Can not be used with Patient Lift Compatible Base)



# **ULTRASOUND** ACCESSORIES

# PRONE PILLOW #66180-T01 For prone or supine positioning!

The removable pads and low profile design make this the most comfortable positioining solution for your patient. This product offers an added level of comfort for the patient during any ultrasound procedure. Use the pads individually or as part of the system.





Great for Vascular procedures!



## T-RAIL ADAPTER #61902

Choose the best spot for this easily installed and removed accessory capable of handling up to 150 lb (68kg). Can be used with any American standard accessory. 8" (20cm) long

Available on all Ultrasound tables.



## TABLE EXTENDER #63487-T\*

Lengthens the table by 12" (31cm) to 84" (213cm) allowing for access to the patient's neck for carotid artery exams & thyroid exams. 24" (61cm) W x 12" (31cm) L

Available On All Ultrasound Tables Requires Accessory Mounting Plate



# QUICKLOCK™ HEAD REST & AERO · CEL PAD #PKG7554\*

The platform allows precise cervical flexion and height positioning over a wide range for both prone and supine treatments.

Available On All Ultrasound tables Requires Accessory Mounting Plate



# **DETACHABLE** ARM BOARD #62192-T\*

Includes clamp to attach Arm Board to the T-rail Adaptor & rotates over 140 degrees. 5"(13cm) wide x 20.5" (52cm) long

Available On All Ultrasound Tables Requires T-rail Adapter



\*Fabric color code must be specified. Fabric color options on page 79.

# IMAGING AND PAIN

# Very stable designs support excellent imaging.

**Perfect for...** • Surgery Centers

- Hospitals/Medical Centers
- Pain Management Facilities
- Ambulatory Surgery Centers



# MANAGEMENT TABLES

# **Strong and robust lifting column**

Rock solid for better imaging.

# **500 lb. Weight Capacity** A model with 750 lb capacity.





# 5 Different motions and two top designs

Configure your table to meet your needs and budget.



# Large Height Range (18")

Lower minimum heights help facilitate patient transfers and wide height range promotes optimal working heights.







# **IMAGING & PAIN MANAGEMENT**



**CFPM400** #75204-T01 Integrated #75205-T01 Rectangular

**CFPM401** #75206-T01 Integrated #75207-T01 Rectangular

### **FEATURES**

Integrated Headrest Carbon Fiber Top: 22" (56cm) wide x 84" (213cm) long
Rectangular Carbon Fiber Top: 24" (61cm) wide x 80" (203cm) long
Hand Control (all motions)
Weight Capacity: 500lb (227kg)

I" (3cm) Radiolucent Table Top Pad 4" (10cm) Casters

Crescent face rest pad (included with Integrated Headrest Top)

Patient Safety Straps (2)

Warranty: 3 years parts, 2 years labor

FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS must be ordered with table	#
2" (5cm) Table Top Pad Upgrade	73190-T01
5" (13cm) Casters	65427
Foot Control (CFPM400)	75077
Foot Control (CFPM401)	75078
Non-USA electric system (contact us for details)	73134

### **MOVEMENTS**

### CFPM400

Motion I....height range 26" - 44" (66-112cm) Motion 2.....Trendelenburg tilt +15°/-12° Motion 3...... longitudinal travel 10" (25cm) Motion 4.....lateral tilt ±15°

### CFPM401

Motion Iheigh	nt range 26" - 44" (66-112cm)
Motion 2Tr	endelenburg tilt +15°/-11°
Motion 3 lo	ongitudinal travel 10" (25cm)
Motion 4	+4" lateral travel



CFPM301 #75211-T01 Integrated #75212-T01 Rectangular

## **MOVEMENTS**

Integrated Headrest Carbon Fiber Top: 22" (56cm) wide x 84" (213cm) long Rectangular Carbon Fiber Top: 24" (61cm) wide x 80" (203cm) long Hand Control (all motions) Weight Capacity: 500lb (227kg)

I" (3cm) Radiolucent Table Top Pad

4" (10cm) Casters

Crescent face rest pad (included with Integrated Headrest Top)

Patient Safety Straps (2)

Warranty: 3 years parts, 2 years labor

FDA listed, CE marked, cETLus listed, CB Certificate

# CFPM300

Motion I.....height range 26" - 44" (66-112cm) Motion 2.....Trendelenburg tilt +15°/-12° Motion 3.....lateral tilt ±15°

### CFPM301

Motion I.....height range 25" - 43" (64-109cm) Motion 2.....Trendelenburg tilt +15°/-11° Motion 3...... longitudinal travel 10" (25cm)

#### **OPTIONS** must be ordered with table 2" (5cm) Table Top Pad Upgrade 73190-T01 5" (13cm) Casters 65427 Foot Control (CFPM300) 75074 Foot Control (CFPM301) 75076 Non-USA electric system (contact us for details) 73134

## CFPMB301 Bariatric imaging table #75213-T01 Rectangular

### **FEATURES**

Rectangular Bariatric Top: 24" (61cm) wide x 80" (203cm) long Hand Control (all motions) Weight Capacity: 750lb (340kg) I" (3cm) Radiolucent Table Top Pad Heavy Duty 5" (13cm) Casters Patient Safety Straps (2) Warranty: 3 years parts, 2 years labor FDA listed, CE marked, cETLus listed, CB Certificate

### **MOVEMENTS**

Motion I ....height range 26.5" - 44.5" (67-113cm) Motion 2.....Trendelenburg tilt +15°/-11° Motion 3...... longitudinal travel 10" (25cm)

#### **OPTIONS** must be ordered with table 2" (5cm) Table Top Pad Upgrade 73190-T01 Foot Control (CFPMB301) Non-USA electric system 73134 (contact us for details)



#55569-T01 Integrated #60011-T01 Rectangular

### **FEATURES**

Integrated Headrest Carbon Fiber Top: 22" (56cm) wide x 84" (213cm) long Rectangular Carbon Fiber Top: 24" (61cm) wide x 80" (203cm) long Foot Control Weight Capacity: 500lb (227kg) I" (3cm) Radiolucent Table Top Pad

4" (10cm) Casters

Crescent face rest pad (included with Integrated Headrest Top)

Patient Safety Straps (2) Warranty: 3 years parts, 2 years labor

FDA listed, CE marked, cETLus listed, CB Certificate

### **MOVEMENTS**

Motion I.....height range 22" - 40" (56-102cm)

0.771.0110	
OPTIONS  must be ordered with table	#
2" (5cm) Table Top Pad Upgrade	73190-T01
5" (13cm) Casters	65427
Non-USA electric system (contact us for details)	73134



See page 34-39 for accessories.

OAKWORKS :

# **IMAGING & PAIN MANAGEMENT**



## **CFPMFXH**

#56575-T01 Integrated #60009-T01 Rectangular

fixed height imaging table

### **FEATURES**

### Integrated Headrest Carbon Fiber Top: 22" (56cm) wide x 84" (213cm) long Rectangular Carbon Fiber Top: 24" (61cm) wide x 80" (203cm) long Weight Capacity: 500lb (227kg) I" (3cm) Radiolucent Table Top Pad 4" (10cm) Casters

Crescent face rest pad (included with Integrated Headrest Top) Patient Safety Straps (2)

Warranty: 3 years parts, 2 years labor

FDA listed, CE marked, cETLus listed, CB Certificate

### **MOVEMENTS**

Fixed height 37" (94cm), no motion

OPTIONS must be ordered with table	#
2" (5cm) Table Top Pad Upgrade	73190-T0
5" (13cm) Casters	65427

# DTPM300 #61252-T01 Rectangular



Rectangular Polycarbonate Top: 24" (61cm) wide x 78" (198cm) long Hand Control (Height, Trendelenburg/Reverse) Foot Control (Height) Weight Capacity: 450 lb (204kg) I" (3cm) Radiolucent Table Top Pad 4" (10cm) Casters9 Foot Cord Patient Safety Straps (2) Warranty: 3 years parts, 2 years labor FDA listed, CE marked, cETLus listed, CB Certificate

### **MOVEMENTS**

Motion I.....height range 24" - 40" (61-102cm) Motion 2..... manual travel top 23" (58cm) Motion 3.....Trendelenburg tilt  $\pm 14^{\circ}$ 

<b>OPTIONS</b> must be ordered with table	#
2" (5cm) Table Top Pad Upgrade	55192-T01
5" (13cm) Casters	65427
Fixed T-rail: 78" (198cm) Long	73148
Fixed T-rail: Custom Length	73135
Non-USA electric system (contact us for details)	73134

# Urology

**CFUR301** #75214-T01

# CFUR401 #75215-T01



### **FEATURES**

Carbon Fiber Top: 23" (58cm) wide x 47" (119cm) long Hand Control (all motions) Weight Capacity: 500lb (227kg) I" (3cm) Radiolucent Table Top Pad 4" (10cm) Casters Patient Safety Straps (2) Radiolucent Lateral Extensions (2) attach to T-rail Radiolucent Patient Transfer Extension (I) attach to end of table T-rail - full length of top Urology Bag Hoop (bag not included) Warranty: 3 years parts, 2 years labor FDA listed, CE marked, cETLus listed, CB Certificate

### **MOVEMENTS**

### CFUR301

Motion I.....height range 26" - 44" (66-112cm) Motion 2.....Trendelenburg tilt +15°/-11° Motion 3...... longitudinal travel 10" (25cm)

### CFUR401

Motion I.....height range 26" - 44" (66-112cm) Motion 2.....Trendelenburg tilt +15°/-11° Motion 3...... longitudinal travel 10" (25cm) Motion 4..... lateral travel ± 4" (10cm)

<b>OPTIONS</b> must be ordered with table	#
5" (13cm) Casters	65427
Foot Control (CFUR301)	75076
Foot Control (CFUR401)	75078
Non-USA electric system (contact us for details)	73134

# Lithotripsy/Urology CFLU401

#75216-T01



# made in the USA OAKWORKS MEDICAL

### **FEATURES**

Carbon Fiber Top: 23" (58cm) wide x 47" (119cm) long Hand Control (all motions) Weight Capacity: 500lb (227kg) I" (3cm) Radiolucent Table Top Pad 5" (13cm) Casters Patient Safety Straps (2) Radiolucent Lateral Extensions (4) attach to T-rail Radiolucent Patient Transfer Extensions (2) attach to end of table T-rail - full length of top (except in cut-out areas) Urology Bag Hoop (bag not included) Warranty: 3 years parts, 2 years labor FDA listed, CE marked, cETLus listed, CB Certificate

### **MOVEMENTS**

Motion I.....height range 28" - 46" (71-117cm) Motion 2.....Trendelenburg tilt +15°/-11° Motion 3...... longitudinal travel 10" (25cm) Motion 4..... lateral travel ± 4" (10cm)

<b>OPTIONS</b> must be ordered with table	
Foot Control (CFLU401)	75078
Non-USA electric system (contact us for details)	73134

See page 34-39 for accessories.

# CFPM400 & CFPM401



**CFPM400** #75204-T01 Integrated #75205-T01 Rectangular

**CFPM401** #75206-T01 Integrated #75207-T01 Rectangular

FEATURES		
Carbon Fiber Top 56" Metal free imaging space	Integrated Headrest 22" (56cm) wide x 84" (214cm) long Rectangular 24" (61cm) wide x 80" (203cm) long	
CFPM400 MOVEMENTS		
Motion I	Electric Height Range 26"- 44" (66-112cm)	
Motion 2	Electric Trendelenburg tilt +15°/-12°	
Motion 3	Electric Longitudinal travel 10" (25cm)	
Motion 4	Electric Lateral tilt ±15°	
CFPM40I MOVEMENTS		
Motion I	Electric Height Range 26"- 44" (66-112cm)	
Motion 2	Electric Trendelenburg tilt +15°/-11°	
Motion 3	Electric Longitudinal travel 10" (25cm)	
Motion 4	Electric Lateral travel ±4"(10cm)	
Controls	Multi-function hand control	
Weight Capacity	500 lb (227kg)	
Product Weight	475 lb (216kg)	
Included Features	I"(3cm) Radiolucent Comfort Foam™ table top pad, 4"(10cm) locking casters, Crescent face rest pad (included with integrated headrest top), patient safety straps (2)	
Warranty	3 years parts, 2 years labor	
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate	

OPTIONS must be ordered with table.		#
2" (5cm) Table Top Pad Upgrade	Upgrade from the standard 1"(3cm) pad	73190-T01
5"(13cm) casters	Upgrade from the standard 4"(10cm)	65427
Foot Control (CFPM400)	multi-functional with cradle on table base	75077
Foot Control (CFPM401)	multi-functional with cradle on table base	75078
Non-USA electric system	Please contact us for order details	73134
ACCESSORIES order any time. See accessories on pages 34-39.		#
Arm Hammock	Use with Integrated Head Rest Top	48751-T01
Carbon Fiber Arm Board (6" wide)	I 80° Articulation	42585
Carbon Fiber Arm Board (7.5" wide)	I 80° Articulation	70337
Fluoro Extender	Polycarbonate	33975
Interventional Supine Pillow System	Contoured pad and support wedge pad	69808-T01
Spine Positioning System II	8 piece system	70100-T01
T-rail Clamp	6"(15cm) long rail	63336



See page 34-39 for accessories.



# CFPM400



Motion 1 HEIGHT RANGE 26"- 44"



TRENDELENBURG TILT +15°/-12°

# CFPM40 I



Motion 1 HEIGHT RANGE 26"- 44"



TRENDELENBURG TILT +15%-11°



LONGITUDINAL TRAVEL 10"



**LATERAL TILT ±15°** 

Motion 3

LONGITUDINAL TRAVEL 10"



**INCLUDED FEATURES:** 





(2) Patient Safety Straps 84" L with 24" of hook & loop fasteners at each end





I Crescent face rest pad (Integrated Headrest Top Only)



4" Locking Casters

I" Comfort Foam™ Table Top Pad

(2" pad optional)

# CFPM300 & CFPM301



#75208-T01 Integrated #75209-T01 Rectangular **CFPM30** #75211-T01 Integrated #75212-T01 Rectangular

FEATURES			
Carbon Fiber Top 56" Metal free imaging space	Integrated Headrest 22"(56cm) wide x 84" (214cm) long Rectangular 24" (61cm) wide x 80" (203cm) long		
CFPM300 MOVEMENTS	CFPM300 MOVEMENTS		
Motion I	Electric Height Range 26"-44" (66-112cm)		
Motion 2	Electric Trendelenburg tilt +15°/-12°		
Motion 3	Electric Lateral tilt ±15°		
CFPM301 MOVEMENTS			
Motion I	Electric Height Range 26" - 44" (66-112cm)		
Motion 2	Electric Trendelenburg tilt +15°/-11°		
Motion 3	Electric Longitudinal travel 10" (25cm)		
Controls	Multi-function hand control		
Weight Capacity	500 lb (227kg)		
Product Weight	475 lb (216kg)		
Included Features	I"(3cm) Radiolucent Comfort Foam™ table top pad, 4"(10cm) locking casters, Crescent face rest pad (included with integrated headrest top), patient safety straps (2)		
Warranty	3 years parts, 2 years labor		
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate		

OPTIONS must be ordered with table.		#
2" (5cm) Table Top Pad Upgrade	Upgrade from the standard 1"(3cm) pad	73190-T01
5"(13cm) casters	Upgrade from the standard 4"(10cm)	65427
Foot Control (CFPM300)	multi-functional with cradle on table base	75074
Foot Control (CFPM301)	multi-functional with cradle on table base	75076
Non-USA electric system	Please contact us for order details	73134
ACCESSORIES order any time. See accessories on pages 34-39.		#
Arm Hammock	Use with Integrated Head Rest Top	48751-T01
Carbon Fiber Arm Board (6" wide)	I 80° Articulation	42585
Carbon Fiber Arm Board (7.5"wide)	I 80° Articulation	70337
Fluoro Extender	Polycarbonate	33975
Interventional Supine Pillow System	Contoured pad and support wedge pad	69808-T01
Spine Positioning System II	8 piece system	70100-T01
T-rail Clamp	6"(15cm) long rail	63336



See page 34-39 for accessories.

# 3 Movement Table Features



# CFPM300



Motion 1 HEIGHT RANGE 26"- 44"





Motion 1 HEIGHT RANGE 25"- 43"



TRENDELENBURG TILT + 15°/-12°



TRENDELENBURG TILT +15%-11°



**LATERAL TILT ±15°** 



**LONGITUDINAL TRAVEL 10"** 

**Multi-function** hand control



(2) Patient Safety Straps 84" L with 24" of hook & loop fasteners at each end





**I** Crescent face rest pad (Integrated

Headrest Top Only)



4" Locking **Casters** 

I" Comfort Foam™ Table Top Pad

(2" pad optional)

# CFPMB30I

# 3 Movement Table 750 lb Bariatric Rated



## **CFPMB30 |** #75213-T01

FEATURES	
Carbon Fiber Top 52.5" (133cm) Metal free imaging space	Rectangular 24" (61cm) wide x 80" (203cm) long
Motion I	Electric Height Range 26"- 44" (66-112cm)
Motion 2	Electric Trendelenburg tilt +15°/-11°
Motion 3	Electric Longitudinal travel 4" (10cm)
Controls	Multi-function hand control
Weight Capacity	750 lb (340kg)
Product Weight	475 lb (216kg)
Included Features	I"(3cm) Radiolucent Comfort Foam™ table top pad, 5"(13cm) locking casters, patient safety straps (2)
Warranty	3 years parts, 2 years labor
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS must be ordered with table.		#
2" (5cm) Table Top Pad Upgrade	Upgrade from the standard 1"(3cm) pad	73190-T01
Foot Control (CFPMB301)	multi-functional with cradle on table base	75076
Non-USA electric system	Please contact us for order details	73134







See page 34-39 for accessories.

# CFPMI00

# 1 Movement Table



22"

Super low 22" height

# **CFPM100** #55569-T01 Integrated #60011-T01 Rectangular

FEATURES	
Carbon Fiber Top 56" (133cm) Metal free imaging space	Integrated Headrest 22"x 84" (56cm x 214cm) Rectangular 24"x 80" (61cm x 203cm)
Motion I	Electric 22" - 40" (56-102cm) Height Range
Foot Control	Controls height range
Weight Capacity	500 lb (227kg)
Product Weight	343 lb (216kg)
Included Features	1" (3cm) Radiolucent Comfort Foam™ table top pad, 4" (10cm) locking casters, crescent face rest pad (included with integrated headrest top), patient safety straps (2)
Warranty	3 years parts, 2 years labor
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS must be ordered with table.		#
2" (5cm) Table Top Pad Upgrade	Upgrade from the standard 1"(3cm) pad	73190-T01
5"(13cm) casters	Upgrade from the standard 4"(10cm)	65427
Non-USA electric system	Please contact us for order details	73134

# See page 34-39 for accessories.

## **INCLUDED FEATURES:**

**RECTANGULAR TOP** 



# **CFPMFXH**

# Fixed Height Table



**RECTANGULAR TOP** 

## #56575-T01 Integrated CFPMFXH #60009-T01 Rectangular

FEATURES	
Carbon Fiber Top 56" Metal free imaging space	Integrated Headrest 22" (56cm) wide x 84" (214cm) long Rectangular 24" (61cm) wide x 80" (203cm) long
Height	37" (94cm)
Weight Capacity	500 lb (227kg)
Product Weight	343 lb (155kg)
Included Features	I" (3cm) Radiolucent Comfort Foam™ table top pad, 4" (10cm) locking casters, crescent face rest pad (included with integrated headrest top), patient safety straps (2)
Warranty	3 years parts, 2 years labor
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS must be ordered with table.		#
2" (5cm) Table Top Pad Upgrade	Upgrade from the standard 1" (3cm) pad	73190 <i>-</i> T01
5"(13cm) casters	Upgrade from the standard 4"(10cm)	65427

See page 34-39 for accessories.

## **INCLUDED FEATURES:**



# DTPM300

# 3 Movement Table



## **DTPM300** #61252-T01

FEATURES	
Polycarbonate Top	Rectangular 24" (61cm) wide x 78" (198cm) long
Motion I	Electric Height Range 24"- 40" (61-102cm)
Motion 2	Electric Trendelenburg tilt +14°/-14°
Motion 3	Manual Longitudinal travel 23" (58cm)
Controls	foot control (height) & hand control (height & trendelenburg)
Weight Capacity	450 lb (204kg)
Product Weight	390 lb (177kg)
Included Features	1"(3cm) Radiolucent Comfort Foam <sup>™</sup> table top pad, 4"(10cm) locking casters, patient safety straps (2)
Warranty	3 years parts, 2 years labor
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS must be ordered with table.		#
2" (5cm) Table Top Pad upgrade	Upgrade from the standard 1" (3cm) pad	55192-T01
Fixed T-rail	78" long (198cm)	73148
Fixed T-rail	Custom Length	73135
Non-USA electric system	Please contact us for order details	73134

## **INCLUDED FEATURES:**





Optional Custom Length Fixed T-rail Factory installed

See page 34-39 for accessories.

# CFUR301 & CFUR401

# CFUR301 3 movement

# CFUR401

4 movement

- 3 table extensions included
- 500 lb Patient Weight Capacity
- Warranty: 3 years parts, 2 years labor



**CFUR301** #75214-T01

CFUR40 I #75215-T01

STANDARD		
Carbon Fiber Top 53" (135cm) Metal free imaging space with Patient Transfer Extension	23" (58cm) wide x 47" (119cm) long	
CFUR301 MOVEMENTS		
Motion I	Electric Height Range 25.5" - 43.5" (65-110cm)	
Motion 2	Electric Trendelenburg tilt +15°/-11°	
Motion 3	Electric Longitudinal travel 10" (25cm)	
CFUR401 MOVEMENTS		
Motion I	Electric Height Range 26.5" - 44.5" (67-114cm)	
Motion 2	Electric Trendelenburg tilt +15°/-11°	
Motion 3	Electric Longitudinal travel 10" (25cm)	
Motion 4	Electric Lateral travel ±4"(10cm)	
Controls	Multi-function hand control	
Weight Capacity	500 lb (227kg) Each Extension: 200 lb (91kg)	
Product Weight	CFUR301 568 lb (258kg) CFUR401 590 lb (268kg)	
Radiolucent Lateral Extension	(2) 5"x 24" (12cm x 61cm)	
Radiolucent Patient Transfer Extension	(I) 23"x 28" (58cm x 71cm)	
Included Features	I"(3cm) Radiolucent Comfort Foam™ table top pad, 4"(10cm) locking casters, Digital angle gauge, patient safety straps (2), Industry standard full length Frails on each side, Urology bag hoop	
Warranty	3 years parts, 2 years labor	
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate	

OPTIONS must be ordered with table.		#
5"(13cm) casters	Upgrade from the standard 4"(10cm)	65427
Foot Control (CFUR301)	multi-functional	75076
Foot Control (CFUR401)	multi-functional	75078
Non-USA electric system	Please contact us for order details	73134
ACCESSORIES order any time. See accessories on pages 34-39.		#
Protective Drape	Clear PVC - attaches to T-rail	69390
Radiolucent Lateral Extension	5"x 24" (13cm x 61cm)	65328
Radiolucent Lateral Extension	5"x 14" (13cm x 36cm)	65329

## **INCLUDED FEATURES:**

(3) Radiolucent Extensions

(2) Patient Safety Straps 84" L with 24" of hook & loop fasteners at each end



I" Comfort Foam™ Table Top Pad



4" Locking Casters

# Industry Standard Full Length T-rails on each side

The Integrated T-rails are US standard size of .38" (9.7mm) thick by 1.13" (28.7mm) wide.

Digital Angle Gauge

### **Urology Bag Hoop**

Model: Urocatch® with intergrak clamps (Bag not included)

3 Radiolucent Extensions

# 33" WIDE SUPPORT SURFACE

The two lateral extensions give you the support area you need for patients' arms while maximizing access to the 23"W x 47" L Carbon Fiber Top. Imaging Area 19"W x 24" L (48cm x 61cm)

Radiolucent patient transfer extension creates 51" long metal-free imaging area between the T-rails.



# (2) 5" X 24" RADIOLUCENT LATERAL EXTENSIONS #66158




Removable lateral extensions slide & lock on T-rails.

# (I) 23" WIDE X 28" LONG RADIOLUCENT PATIENT TRANSFER EXTENSION #66156



Lightweight design can be used for general imaging when a full length diving board table design is required.

Configure top & extensions to fit the need.







# Accessories



# **Protective Clear PVC Drape** #69390

Helps keep clean up to a minimum. Flexible and transparent design maximizes C-Arm positioning possibilities. Clips to T-rail.



# CFLU40I

# 4 movement Lithotripsy/Urology Table



Rugged design perfect for mobile or stationary use

### **CFLU40 I** #75216-T01

STANDARD	
Carbon Fiber Top 53" (135cm) Metal free imaging space with Patient Transfer Extension	23" (58cm) wide x 47" (119cm) long
Motion I	Electric Height Range 27.5" - 45.5" (69-1   4cm)
Motion 2	Electric Trendelenburg tilt +15°/-11°
Motion 3	Electric Longitudinal travel 10" (25cm)
Motion 4	Electric Lateral travel ±4"(10cm)
Controls	Multi-function hand control
Weight Capacity	500 lb (227kg) Each Extension: 200 lb (91kg)
Product Weight	618 lb (280kg)
Radiolucent Lateral Extension	(1) Lateral Extension 8"x 24"(20cm x 60cm) (1) Lateral Extension 8"x 14"(20cm x 36cm) (2) Angled Lateral Extensions 8"x 11"(20cm x 28cm)
Radiolucent Patient Transfer Extensions	(1) End Extension 23" x 28" (58cm x 71cm) (1) Short End Extension 23" x 16" (58cm x 40cm)
Included Features	I"(3cm) Radiolucent Comfort Foam™ table top pad, 5"(13cm) locking casters, Digital angle gauge, patient safety straps (2), Industry standard full length Trails on each side, Urology bag hoop
Warranty	3 years parts, 2 years labor
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS must be ordered with table.		#
Foot Control (CFLU401)	multi-functional	75078
Non-USA electric system	Call for ordering details	73134
ACCESSORIES order any time. See accessories on pages 34-39.		#
Protective Drape	Clear PVC - attaches to T-rail	69389

See page 34-39 for accessories.

### (6) Radiolucent Extensions

(2) Patient Safety Straps 84" L with 24" of hook & loop fasteners at each end



I" Comfort Foam™ Table Top Pad



Heavy Duty 5" Locking Casters with directional locks on tower end only.

# Industry Standard Full Length T-rails on each side

The Integrated T-rails are US standard size of .38" (9.7mm) thick by 1.13" (28.7mm) wide.

## Digital Angle Gauge

### **Urology Bag Hoop**

Model: Urocatch® with intergrak clamps (Bag not included)

# CONVERTS TO FULL FEATURED UROLOGY TABLE IN SECONDS!

Compatible with all leg holders using the U.S. standard side T-rail attachment systems.




See page 34-37 for additional accessories.



# T-RAIL SLIDE & LOCK LATERAL EXTENSIONS


easily lock onto T-rails on either side of the table.



The two angled lateral extensions align with the table's recesses & can be adjusted along T-rails on each side.


## 23" W x 47" L CARBON FIBER TOP


Imaging Area 19" W x 23.5" L (48cm x 59cm)




### **6 RADIOLUCENT EXTENSIONS**

Easy to attach & offer many different configurations. Two end extensions and four lateral extensions are included.







# **IMAGING & PAIN MANAGEMENT** ACCESSORIES

INTERVENTIONAL SUPINE PILLOW SYSTEM #69808-T01

Primarily designed to facilitate cervical transforaminal injections, but useful for other antero-lateral procedures such as facet injections, medial branch blocks, stellate ganglion blocks, scalene injections, brachial plexus blocks and discography.

- Facilitates anterior approaches to cervical procedures
- Creates an unobstructed working space for physicians' hands
- Fully adjustable for both patient and physician needs
- Reusable design is highly radiolucent

Compatible with all tables



### FI UORO FXTENDER #33975

Made of radiolucent, polycarbonate material, it's organic shape is conducive to a variety of table placement applications.

- 30" long x 23.5" wide x 1/4" thick
- Inserts under the table top pad

Compatible with all imaging tables



FDA listed to regulation #892.1980 - Class I

## PATIENT SAFETY STRAP #52115

The Patient Safety Strap helps eliminate unwanted patient movement and injury during surgical procedures. The strap is easily adjusted to accommodate a variety of patient sizes.

- Easily adjusted and repositioned with hook & loop fasteners
- Durable radiolucent material

2 INCLUDED with all Imaging Tables & Urology /Lithotripsy Tables



### SINGLE CARBON FIBER ARM BOARD

#42585-T01 - 6" wide #70337-T01 - 7.5" wide

Fully radiolucent with a 180° range of motion, the arm board requires no mounting or attachment hardware and simply slides under the table top pad. It can be used on any fluoroscopy table & will support arms and feet in a variety of positioning configurations. Folds for storage.

- 180° range of motion
- 1" pads
- Requires no mounting or attachment hardware, slides under table top pad
- Comes with removable pad
- Folds for safe & compact storage

Compatible with all imaging tables



Shown here with removable pad



FDA listed to regulation #892.1980 - Class I



6" × 23" ARM BOARD or 7.5" × 24" ARM BOARD

# 6" ADJUSTABLE T-RAIL CLAMP #63336

The adjustable T-rail clamp can be positioned along the grooved table top edge. Clamp is also removable.

- Accommodates a variety of T-rail attachable accessories
- 150 lb (68kg) weight rating

Available for use on: CFPM tables (Excluding CFPMB301)



FDA listed

## ARM HAMMOCK #48751

This unique product will comfortably & easily support your patient's arms when prone. Eliminate the awkward feeling your patients experience by not knowing where to place their arms.

• Easily attached to the Integrated Head Rest table top



## CRESCENT FACE REST PAD & COVERS

This radiolucent crescent face rest pad is comfortable for either prone or supine positioning. Use the disposable face rest covers for a hygienic barrier.

Pad is INCLUDED with Integrated Headrest tables. Covers sold separately.



FITTED COVERS 50 PER BOX #52067 Not FDA Listed





FACE REST PAD #56418


## COMFORT FOAM™ TABLE TOP PAD

1" INCLUDED with all CFPM &DTPM Imaging tables. 2" optional for an additional charge. 2" pad not available on Urology Tables.

#51343-T01 1" Integrated Head Rest #55194-T01 2" Integrated Head Rest

#58940-T01 1" Rectangular Top

#33060-T01 1" DTPM300 #55192-T01 2" DTPM300






#69390 CFUR301 & CFUR401

The Protective Table Drape is a valuable accessory for your Lithotripsy or Urology table. The Table Drape is an economically effective splash shield, which protects your table's lifting motor and wiring in various facilities environments. This device simply and quickly attaches to the table's standard T-rails located on the sides of the table.

Available on: CFUR301, CFUR401, CFLU401.



# **UROLOGY TABLE** ACCESSORIES

## LIFT ASSIST STIRRUP SYSTEM #72866

The Lift-Assist Stirrup System can handle up to 500 lb The pneumatic lift assisted stirrups are easy to adjust and lock tight when the rotating hand grip is released. The abduction & adduction are done at the hand grip handle with no need to go back to the side rail socket. The rotation of the system was designed to mimic the natural motion of the patient's hip. They can travel a full 120 degrees from 90 to -30. The boot liner is made of a soft material that encapsulates the patient's foot & the boot system offers lateral support to reduce potential nerve damage. System complete with boots, clamshell pads, and side rail sockets.

Compatible with Urology & Lithotripsy Tables



## BASIC STIRRUP LEG HOLDERS #72869

The Basic Stirrup Leg Holders offer support for the patient's feet & legs. The included reusable boot liners are made of a soft material that encapsulates the patient's foot. Easily mount the unit to the table with any 5/8" side rail socket, such as the Stainless Steel Clark Socket (sold separately.)

Compatible with Urology & Lithotripsy Tables



# STAINLESS STEEL CLARK SOCKET #72870

The Stainless Steel Clark Socket mounts to any standard T-rail & fits up to 5/8" round post.

Compatible with Urology & Lithotripsy Tables



## **UROLOGY TABLE** ACCESSORIES

## ADJUSTABLE KNEE CRUTCH SUPPORT #72872

These Adjustable Knee Crutch Supports include a soft pad and adjustable extension to allow for abduction. The knee crutch itself is approx. 9.5" wide and 12" long (5" above the knee bend and 7" below the knee bend.) Sold as a pair, these knee crutches mount to the table with side rail sockets, such as the Stainless Steel Clark Socket (sold separately.)

Compatible with Urology & Lithotripsy Tables



#### TOTAL KNEE STABILIZER #72873

This Total Knee Stabilizer supports the knee during arthroscopic procedures. This device will offer stable support to a flexed leg during total knee procedures. Also known as a Knee Post, the radiolucent design can be adjusted in height by using the 10 inch post which is attached to the table with a side rail socket, such as the Stainless Steel Clark Socket (sold separately.)

Compatible with Urology & Lithotripsy Tables



## RAIL / TABLE MOUNTED ADJUSTABLE IV POLE- WITH INTEGRATED CLAMP #72871

This adjustable IV Pole can be mounted to the table using the integrated clamp. This clamp will mount to most surfaces up to 1 1/4" diameter including standard T-rails. Rotate 180° & adjust in height from 12" – 24".

Compatible with Urology & Lithotripsy Tables



## SPINE POSITIONING SYSTEM II

## An integral component of the pain management suite

- Optimal Imaging
   Radiolucency & flexibility for ideal cervical, thoracic & lumbar visualization.
- Enhanced Patient Comfort
   Minimize unwanted movement &
   reduce procedure time.
- Stable Design
   Large contoured torso pad cradles patient & the strap securely fastens the system to the table.



#### RADIOLUCENT FRAME

Used to support the Torso support & Crescent face rest pad. One cam lock facilitates cervical flexion & extension.





Adequate free space under see through face section for aeration, supplemental O2, jaw/face contact as necessary; prevents patient overheating, can more easily communicate with the patient without sound muffling.

#### STABILIZING STRAP

Secures SPS II to the table.



### SPINE POSITIONING SYSTEM II #70100-T01

FEATURES	
Radiolucent Frame with Face Rest	12"x 32.5" (30 x 84cm)
Crescent Face Rest Pad (#62008-T01)	12" (30cm) diameter
Contoured Torso Support Pad	6.5"x 23"x 30"(17 x 58 x 76cm)
Contoured Torso Wedge	2"x 22"x 29"( 5 x 56 x 74cm)
Large Adjuster Pad	8"x 22"x 2"(20 x 56 x 5cm)
Small Adjuster Pad	7"x 12"x 1.5"(18 x 30 x 4cm)
8" Semi-Round Bolster	6"x 8"x 26"(15 x 20 x 66cm)
Carry Case	For storage when not in use
Warranty	Fabric, Frame & Padding - 2 years
Safety Listings	FDA listed, CE marked

## SPINE POSITIONING SYSTEM II

The Spine Positioning System II (SPS II) is an integral component of the pain management fluoroscopy suite. With this system, procedural set up time is reduced, patient comfort is enhanced, & unwanted movement is minimized. Most importantly, the target anatomy is more readily visualized, which allows the physician to perform spine procedures in a more efficient & secure manner.

OAKWORKS® designed the SPS II in an effort to achieve the critical balance between optimal imaging & patient comfort. The radiolucent adjustable frame and versatile padding system provide a metal-free imaging support platform capable of quickly positioning a wide variety of patient physiques. The adjustable face rest position provides individualized positioning for all types of cervical procedures & anatomy. The contoured torso support pad is complimented by a host of uniquely shaped and sized adjuster pads & wedges that enable a multitude of positioning combinations for ideal patient comfort & imaging needs for all spinal column procedures.

The SPS II was designed with the input of experienced interventional spine physicians under the direction of Paul Dreyfuss, MD. An extensive trial period was undertaken such that various modifications were made to accommodate the precise needs of the interventional pain physician & their patients.

## PRIMARY ADVANTAGES OF THE SPINE POSITIONING SYSTEM II:

- No metal (radiopaque) components are present under the spine- unobstructed visibility of the entire spine from C0-C1 to the coccyx with all imaging angles (AP, oblique & lateral). All radiopaque components are placed proximal to the forehead.
- Adjustment easily made to maximize opening & imaging of the cervico-thoracic junction.
- Secure & easy to use single locking face rest mechanism to adjust cervical flexion, extension & height.
- Torso pad elevation under the chest allows for the shoulders to drop out of the plane of imaging when obtaining a lower cervical and upper thoracic lateral & oblique views.
- Adequate free space under open air face section for aeration, supplemental O2, jaw/face contact as necessary; prevents patient overheating and easy communication with the patient without sound muffling.
- Contoured torso support allows the shoulders to drop yet be adducted/slightly extended next to the body for comfort where they are also less likely to lose position/fall off the fluoroscopic table.

- Current design obviates the need to pull the arms back to the side to obtain imaging of the cervico-thoracic junction; the more comfortable adducted & slightly extended position suffices.
- Adequate adjuster pads to maximize torso build up for larger frame patients.
- Not only for cervical cases; also useful for thoracic & lumbar cases.
- Comfortable for patients with cervical pain when longer duration thoracic & lumbar cases are performed.
- Softer foam under the breasts and shoulders for comfort; firmer central foam for enhanced stability.
- Wider & longer torso pad gives extra support resulting in less sway and improved patient comfort.
- Torso pad restraint strap secures the pad to the table; more stability when mounting & dismounting the system.
- Torso pad with abdominal recess for extra comfort and support.
- All prone positioning needs met with the SPS II; no need for additional pillows.
- Very firm adjuster wedges prevent undue compression & loss of the original position.

# PROCEDURE CHAIRS

## Very comfortable designs support longer treatments.

- Perfect for... Hospital/Medical Centers
  - Private Practice
  - Medi-Spa



# AND EXAM TABLES

8 Different table models with multiple options

Choose the table to meet your needs and budget, then configure further.

Many options to support different exams.



## Aesthetically beautiful and incredibly comfortable.

Select models allow you to choose your fabric and base color to match your decor.



## ADA compliant models with great ergonomics.

Lower minimum heights help facilitate patient transfers and wide height range promotes optimal working heights.







## PROCEDURE CHAIRS & EXAM TABLES



## 300 Series Procedure Chair #73076-T\* 3" Comfort #73408-T\* 4" Comfort

73177 73174 69928

73134

73042

73175 73043

our peries riocedure	#1507051 5 Collifort #1540051	4 Connort
FEATURES	OPTIONS must be ordered with table	
3-Section Top: 27" (69cm) wide x 73" (185cm) long	Foot Control	73074
Electric Height Range: 19" - 35" (48-90cm)	Non-USA electric system (contact us for details)	73134
Electric Trendelenburg/Reverse Tilt: +15°/-5°	Procedure Tray 12.25" (6cm) x 10.25" (26cm)	73042
Electric Backrest: 0-80°	Available only with 4" Comfort Foam™	
Electric Leg Rest: 0-90°	Reduces foam thickness in seat section to 2"	
Hand Control with memory positions	Stirrups (Retractable Foot Rests)	73037
Weight Capacity: 550 lb (250kg)	T-rail, fixed (one or both sides)	73043
Padding: 3" (8cm) or 4" (10cm) Comfort Foam™		
Enclosure: Choice of Black, Grey, Beige, Cool White *		
Integrated Power Outlet (USA model)		
Paper Roll Holder		
Warranty: 3 years parts, 2 years labor		
FDA listed, CE marked, cETLus listed, CB Certificate		

## 100 Series Procedure Chair #67395-T\* 2.5" Comfort #73406-T\* 4" Comfort



FEATURES	OPTIONS must be ordered with table
3-Section Top: 27" (69cm) wide x 74" (188cm) long	Aesthetic Upgrade - Thermoform cover base & skirt
Electric Height Range: 19" - 35" (48-90cm)	Arm Rests - fold down design
Electric Trendelenburg/Reverse Tilt: +15°/-5°	Hand Control
Electric Backrest: 0-80°	Non-USA electric system (contact us for details)
Manual 4 Position Leg Rest 0-90°	Procedure Tray 12.25" (6cm) x 10.25" (26cm)
Foot Control	Available only with 4" Comfort Foam™
Weight Capacity: 550 lb (250kg)	Reduces foam thickness in seat section to 2"
Padding: 2.5" (6cm) or 4" (10cm) Comfort Foam™	Stirrups (Retractable Foot Rests)
Paper Roll Holder	T-rail, fixed
Warranty: 3 years parts, 2 years labor	
FDA listed, CE marked, cETLus listed, CB Certificate	

## **EC Series Chair**

#74196-T\* 2.5" Comfort #74380-T\* 4" Comfort



FEATURES
3-Section Top: 29" (74cm) wide x 73" (185cm) long
Electric Height Range: 19" - 37" (48-94cm)
Lift-Assist Backrest: 0-90°
Manual Leg Section: 0°-90°
Foot Control
Weight Capacity: 550 lb (250kg)
Padding: 2.5" (6cm) or 4" (10cm) Comfort Foam™
Warranty: 3 years parts, 2 years labor
FDA listed, CE marked, cETLus listed

Stirrups (Retractable Foot Rests)	74201
Side Rails (set of 2) (can not be used with Arm Rests)	63265
Arm Rests - fold down design (can not be used with Side Rails)	67648
Locking Twin Casters (One End Of Table)	63400
2nd Foot Control (Height)	69615
Non-USA electric system (contact us for details)	73134

## **PG Series Exam Tables**

See page 51 for Catalog #'s



C SCITCS EMAIN TUST	See page 31 for Catalog #	See page 31 for Catalog # s	
FEATURES	OPTIONS must be ordered with table	#	
Top: See page 51 for widths x 72" (183cm) long	Accessory Mounting Plate	62123	
Electric Height Range: 22" - 38" (56-97cm)	Central Base Locking System	61777	
Electric Trendelenburg/Reverse Tilt: ±15°	(can not be used with Patient Lift Compatible Base)		
Electric Backrest: 0-75° (PG300 & PG350)	Non-USA electric system (contact us for details)	73134	
Manual 4 Position Leg Rest 0-90° (PG350)	Patient Lift Compatible Base	65893	
Foot Control	(can not be used with Central Base Locking System)		
Weight Capacity: 550 lb (250kg)	Procedure Tray 12.25" (6cm) x 10.25" (26cm)	73042	
Padding: 3" (8cm) or 4" (10cm) Comfort Foam™	Available only with 4" Comfort Foam™		
4" (10cm) Locking Casters	Reduces foam thickness in seat section to 2"		
Paper Roll Holder	Side Rails (set of 2)	61781	
Warranty: 3 years parts, 2 years labor	Stirrups (Retractable Foot Rests) PG350	71001	
FDA listed, CE marked, cETLus listed, CB Certificate			

## See options and accessories on page 58-59.

\*Fabric color code must be specified. Fabric, finish, & padding options on pages 77-79.

## PROCEDURE CHAIRS & EXAM TABLES



### **PF Series Exam Tables**

See page 53 for Catalog #'s

FEATURES
Top: See page 53 for widths x 73" (185cm) long
Electric Height Range: PF400 & PF250: 22" - 38" (56-97cm)
Electric Height Range: PF200: 21" - 37" (53-94cm)
Electric Trendelenburg/Reverse Tilt: ±20°
Electric Backrest: PF400: 0-53°
Lift Assist Backrest: PF250: 0-80°
Electric Leg Section: PF400
Foot Control
Weight Capacity: 550 lb (250kg)
Padding: PF400: 4" (10cm) Comfort Foam™
Padding: PF250 & PF200: 3"(8cm) or 4" (I0cm) Comfort Foam™
Warranty: 3 years parts, 2 years labor
FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS must be ordered with table	
4" (10cm) Locking Casters	69926
Wood Finishes	73136

63400

69405 63400 63264



## **PX Series Exam Tables**

FDA listed, CE marked, cETLus listed, CB Certificate

See page 55 for Catalog #'s

FEATURES	<b>OPTIONS</b> must be ordered with table
Top: See page 55 for widths x 73" (185cm) PX100 & PX300, 75" (190cm) PX150 long	Locking Twin Casters (one end of the table)
Electric Height Range: PX300 & PX150: 21"- 38" (53-97cm)	
Electric Height Range: PX100: 18"- 35" (46-89cm)	
Electric Backrest: PX300: 70°	
Lift-Assist Backrest: PX I50: 80°	
Electric Leg Section: PX300	
Foot Control	
Weight Capacity: 550 lb (250kg)	
Padding: PXI00 & PXI50: 3"(8cm) or 4" (I0cm) Comfort Foam™	
Padding: PX300: 4" (I0cm) Comfort Foam™	
Warranty: 3 years parts, 2 years labor	



## Orthopedic Hi-Lo Casting Table #69268-T\*

FEATURES		OPTIONS must be ordered with table
Top: 31" (79cm) wide x 73" (185cm	n) long	Hand Control
Electric Height Range: 17" - 35" (4.	3-89cm)	Locking Twin Casters (one end of the table)
Lift-Assist Backrest: 0-90°		Second Side Rail
Manual Leg Section: 10-790°		'
Foot Control		
Weight Capacity: 550 lb (250kg)		
Padding: 2.5" (6cm) Comfort Foam	м	
Side Rail (specify side) 23.5" (60cm	) long x 6" (15cm) tall from surface of table)	



## **PowerLine<sup>™</sup> Tables**

FDA listed, CE marked, cETLus listed, CB Certificate

Warranty: 3 years parts, 2 years labor

BACKREST TOP #67520-T\* 27" W

FLAT TOP #67528-T\* 27" W ACCESSORIES order any time

FEATURES
Top: 27" (69cm) or 30" (76cm) wide x 72" (183cm) long
Height: 30" (76cm)
Manual Multi-Position Backrest or Flat Top
Weight Capacity: 500 lb (227kg)
Padding: 2.5" (6cm) Comfort Foam™
Lacquer Finish: Choice of Warm Maple, Cabernet, Chocolate, Ebony, or Bone
Paper Roll Holder
Warranty: 3 years parts, labor not included
FDA listed, CE marked

PowerLine Table Extender (27" wide) (69cm) 51909-T\* PowerLine Table Extender (30" wide) (76cm) QuickLock™ Head Rest (black) & AeroCel pad PKG6914-T\* Storage Shelf 51292

Width & Length is approximate due to variation in material.

See options and accessories on page 58-59.

\*Fabric color code must be specified. Fabric, finish, & padding options on pages 77-79.



## 300 SERIES PROCEDURE CHAIR



The 300 Series Procedure Chair gives you the accessibility, positioning and patient comfort for a wide range of procedures in a compact and aesthetically pleasing package. This power chair features all electric movements with memory presets & a wide array of options and accessories.



Choice of 4 colors with Aesthetic Upgrade. Color code must be specified.



COOL WHITE - CW

GREY - GR

BEIGE - BG

## 300 SERIES PROCEDURE CHAIR #73076-T\* 3" Comfort

#73408-T\* 4" Comfort

FEATURES	
3 Section Top	27" (69cm) wide x 73" (185cm) long with Head Rest [80" (203cm) long with Adjustable Head Rest extended]
Back rest	27" (69cm) wide x 26" (66cm) long
Seat	27" (69cm) wide x 23" (58cm) long
Leg rest	23" (58cm) wide x 13" (33cm) long
Motion I	Electric Height Range: 19"-35" (48 - 89cm)
Motion 2	Electric Trendelenburg/Reverse Tilt: +15°/-5°
Motion 3	Electric Backrest: 0-80°
Motion 4	Electric Leg Rest: 0-90°
Hand Control	All motions and memory positions
Weight Capacity	550 lb (250kg)
Product Weight	300 lb (136kg)
Padding	3"(8cm) or 4"(10cm) Comfort Foam™
**Enclosure - see pg 78	Choose from Black, Grey, Beige, or Cool White
Integrated Power Outlet	USA model only
Paper Roll Holder	Accommodates up to 18" (46cm) rolls (rolls not included)
Warranty	3 years parts, 2 years labor
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate

\*Fabric color code must be specified. \*\*Enclosure color code must be specified.

OPTIONS must be orde	ered with table. See page 58 for details.	#
Foot Control	Multi-function	73074
Non-USA electric system	Please contact us for order details	73134
Procedure Tray	I 2.25"(6cm) x 10.25"(26cm) and holds 2 quarts (1.9 liters) Available only with 4" Comfort Foam™ Reduces foam thickness in seat section to 2"	73042
Stirrups (Retractable Foot Rests)	Pull out from under seat section, fully adjustable	73175
T-rail, Fixed	Available for factory mount on one or both sides of the seat. 14" (36cm) long	73043
ACCESSORIES order a	ny time. See accessories on page 59.	#
Arm Rests	Auto level design adjusts to backrest angle, swing out 90°, removable	73064-T*
Adjustable Head Rest Platform	Adjustable angle & height, removable	71899
Procedure Chair Face Rest Crescent	For use when prone positioning is required. Use with Adjustable Head Rest Platform	69876-T*
Head Rest Pad	10" (25cm) long x 10" (25cm) wide Use with Adjustable Head Rest Platform	71976-T*
Large Head Rest	Adjustable in length, removable I I.5" (29cm) long x 20" (51cm) wide	72717-T*

Fabric, enclosure, and padding options on pages 77-79.

## 100 SERIES PROCEDURE CHAIR



The 100 Series Procedure Chair gives you the flexibility to perform many different procedures while supporting great ergonomics & patient comfort. The twin tower design supports up to 550 lb and the top is designed for supine or prone positioning.



## 100 SERIES PROCEDURE CHAIR #67395-T\* 2.5" Comfort

#73406-T\* 4" Comfort

FEATURES	
3 Section Top	27" (69cm) wide x 74" (188cm) long with Head Rest [80" (203cm) long with Adjustable Head Rest extended]
Back rest	27" (69cm) wide x 26" (66cm) long
Seat	27" (69cm) wide x 24" (61cm) long
Leg rest	22"(56cm) wide x 13" (33cm) long
Motion I	Electric Height Range: 19"- 35" (48-89cm)
Motion 2	Electric Trendelenburg/Reverse Tilt: +15°/-5°
Motion 3	Electric Backrest: 0-80°
Motion 4	Manual 4 position Leg Rest 0-90°
Foot Control	Adjust Height, Trendelenburg/Reverse & Backrest
Weight Capacity	550 lb (250kg)
Product Weight	300 lb (136kg)
Padding	2.5"(6cm) or 4"(10cm) Comfort Foam™
Paper Roll Holder	Accommodates up to 18" (46cm) rolls (rolls not included)
Warranty	3 years parts, 2 years labor
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS must be ordered	with table. See page 58 for details.	#
**Aesthetic Upgrade - see pg 78	Acrylic base cover and skirt (specify color)	73177
Arm Rests	Fold down design	73174
Hand Control	Controls all functions (can be used with foot control)	69928
Non-USA electric system	Please contact us for order details	73134
Procedure Tray	I 2.25" (6cm) x 10.25" (26cm) and holds 2 quarts (1.9 liters) Available only with 4" Comfort Foam™ Reduces foam thickness in seat section to 2"	73042
Stirrups (Retractable Foot Rests)	Pull out from under seat section, fully adjustable	73175
T-rail, Fixed	Available for factory mount on one or both sides of the seat. 14"(36cm) long	73043
ACCESSORIES order any ti	me. See accessories on page 59.	#
Adjustable Head Rest Platform	Adjustable angle & height, removable	71899
Procedure Chair Face Rest Crescent	For use when prone positioning is required. Use with Adjustable Head Rest Platform	69876-T*
Head Rest Pad	10" (25cm) long x 10" (25cm) wide Use with Adjustable Head Rest Platform	71976-T*
Large Head Rest	Adjustable in length, removable I 1.5" (29cm) long x 20" (51cm) wide	72717-T*
T-rail Adapter	Attaches to chair at multiple locations for use with USA format T-rail attachable accessories.	61902

\*Fabric color code must be specified. \*\*Enclosure color code must be specified.

Fabric, enclosure, and padding options on pages 77-79.


## EC SERIES PROCEDURE CHAIR



The EC Series Procedure Chair is a cost effective solution for environments where flexibility and lower cost are important. This versatile chair can also be put in a flat table position and a wide range of options & accessories allow you to customize the product to your needs.



The EC Series Chair is a great solution for OB/GYN when configured with stirrups, offering the comfort & flexibility to handle a busy practice.



The leg section can be used to support patient's legs while transferring them to the stirrups & then folded down out of the way.



Large height range facilitates patient transfer & practitioner ergonomics.

## EC SERIES PROCEDURE CHAIR

#74196-T\* 2.5" Comfort

#74380-T\* 4" Comfort

FEATURES	
3 Section Top	29" (74cm) wide x 73" (185cm) long
Back rest	29" (74cm) wide x 39" (99cm) long
Seat	29" (74cm) wide x 23" (58cm) long
Leg rest	29" (74cm) wide x 10" (25cm) long
Leg rest (w/stirrups option)	19"(48cm) wide x 10"(25cm) long
Motion I	Electric Height Range: 19"- 37" (48-94cm)
Motion 2	Lift-Assist Backrest: 0-90°
Motion 3	Manual Leg Rest: 0-90°
Foot Control	Controls height
Weight Capacity	550 lb (250kg)
Product Weight	165 lb (75kg)
Padding	2.5"(6cm) or 4"(10cm) Comfort Foam™
Warranty	3 years parts, 2 years labor
Safety Listings	FDA listed, CE marked, cETLus listed

OPTIONS must be ordered	d with table. See page 58 for details.	#
Stirrups (retractable foot rests)	Pull out from under seat section, fully adjustable	74201
Side Rails	Drop away (Can not be used with Arm Rests)	63265
Arm Rest	Fold down design (Can not be used with Side Rails)	67648
Locking Twin Casters (one end of table)	To easily move table in & around the room	63400
2nd Foot Control	Height	69615
Hand Control	Controls all powered movements	69405
Non-USA electric system	Please contact us for order details	73134
ACCESSORIES order any time. See accessories on page 59.		#
T-rail Adapter	Attaches to the backrest for use with USA format T-rail attachable accessories	61902
Quick Lock Head Rest & AeroCel Pad	Comfortable, adjustable prone or supine support	PKG7554*
Paper Roll Holder	Vanilla - Accommodates 21" (53cm) roll (roll not included) Not FDA listed - see page 76	11580

\*Fabric color code must be specified. Fabric & padding options on pages 77-79.

## PG SERIES EXAM TABLES

## 3 Section Top can be used as a chair or table!

### **Features**

- Designed for fast paced, diverse treatments
- Heavy duty frame with two lifting motors
- Open base design for great ergonomics



The PG Series Exam Tables are designed for busy environments where they may need to be moved often to permit large pieces of equipment to occupy the same space. Casters come standard on this model, and several tops are available along with many options and accessories to support multiple procedures.



Optional Central Base Locking System



Optional Side Rails fold down & out of the way



## MODEL PG350

#71953-T\* 30" W 3" Comfort #72422-T\* 30" W 4" Comfort #73574-T\* 27" W 3" Comfort #73575-T\* 27" W 4" Comfort

Motion I Electric Height: 22"-38" (56-97cm)

Motion 2 Electric Tilt: 15°/15°

Motion 3 Electric Backrest: 0-75°

Motion 4 Manual 4 Position Leg rest: 0-90°



## MODEL PG300

#71952-T\* 30" W 3" Comfort #72420-T\* 30" W 4" Comfort #73327-T\* 27" W 3" Comfort #73576-T\* 27" W 4" Comfort

Motion I Electric Height: 22"-38" (56-97cm)

Motion 2 Electric Tilt: 15°/15°

Motion 3 Electric Backrest: 0-75°



## **MODEL PG200**

#71948-T\* 30" W 3" Comfort #72419-T\* 30" W 4" Comfort #73577-T\* 27" W 3" Comfort #73578-T\* 27" W 4" Comfort

Motion I Electric Height: 22"-38" (56-97cm)

Motion 2 Electric Tilt: 15°/15°

## PG SERIES EXAM TABLES

FEATURES	
Тор	27"(69cm) or 30"(76cm) wide x 72"(183cm) long
Foot Control	Controls all powered movements
Weight Capacity	550 lb (250kg)
Product Weight	159 lb (163kg)
Padding	3"(8cm) or 4"(10cm) Comfort Foam™
Casters	Heavy-duty 4"Locking
Paper Roll Holder	Accommodates 21" (53cm) roll (roll not included)
Warranty	3 years parts, 2 years labor
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate

\*Fabric color code must be specified. Fabric & padding options on pages 77-79.

OPTIONS must be ordered	with table. See page 58 for details.	#
Accessory Mounting Plate	Allows the use of accessories with your table	62123
Central Base Locking System	Not available with Patient Lift Compatible Base	61777
Hand Control	Controls powered movements PG300 & PG350	75029
Hand Control	Controls powered movements PG200	75028
Non-USA electric system	Please contact us for order details	73134
Patient Lift Compatible Base	Not available with Central Base Locking System	65893
Procedure Tray	12.25" (6cm) x 10.25" (26cm) and holds 2 quarts (1.9 liters) Available only with 4" Comfort Foam™ Reduces foam thickness in seat section to 2"	73042
Side Rails (set of 2)	23.5" (60cm) long x 6" (15cm) tall (from surface of table)	61781
Stirrups (Retractable Foot Rests)	Pull out from under seat section, fully adjustable (PG350)	71001
ACCESSORIES order any t	ime. See accessories on page 59.	#
T-rail Adapter	Attaches to the backrest for use with USA format T-rail attachable accessories.	61902
Detachable Arm board	Use with T-rail Adapter - Rotates over 140° 5"(13cm) wide x 20.5" (52cm) long	62192
Universal Table Extender with 3" Padding	21" (53cm) W x 12.5" (32cm) L	74735-T*
Universal Table Extender with 4" Padding	21" (53cm) W x 12.5" (32cm) L	74736-T*
QuickLock™ Head Rest (black) & AeroCel Pad	Comfortable, adjustable prone or supine support (requires mounting plate)	PKG7554*

## PF SERIES EXAM TABLES



The PF Series Exam Tables are designed to maximize comfort for extended treatments while offering the beauty of wood to create a Spa-like atmosphere. The fully electric design comes with a super soft & supportive padding system.





Stay Level, Swing Out, Removable Arm Rests



Access End Top Design (PF400 Model)

## INCREDIBLE COMFORT FOR LONGER TREATMENTS



### #70882-T\* 31" W 4" Comfort #73309-T\* 29" W 4" Comfort

Motion I Electric Height: 22"-38" (56-97cm)

Motion 2 Electric Tilt: 20°/ 20°

Motion 3 Electric Backrest: 0-53°

Motion 4 Electric Leg rest



## MODEL PF250

#70889-T\* 31" W 3" Comfort #73409-T\* 31" W 4" Comfort #73454-T\* 29" W 3" Comfort

#73566-T\* 29" W 4" Comfort #73583-T\* 27" W 3" Comfort

#73584-T\* 27" W 4" Comfort

Motion I Electric Height: 22"-38" (56-97cm)

Motion 2 Electric Tilt: 20°/ 20°

Motion 3 Lift Assist Backrest: 0-80°



## MODEL PF200

#70890-T\* 31" W 3" Comfort #73410-T\* 31" W 4" Comfort #73567-T\* 29" W 3" Comfort

#73568-T\* 29" W 4" Comfort

#73585-T\* 27" W 3" Comfort #73586-T\* 27" W 4" Comfort

Motion I Electric Height: 21"-37" (53-94cm)

Motion 2 Electric Tilt: 20°/ 20°

## PF SERIES EXAM TABLES

FEATURES	
Top Dimensions	See above for widths x 73"(185cm) long
Foot Control	Controls all powered movements
Weight Capacity	550 lb (250kg)
Product Weight	235 lb (106kg)
Padding - PF400	4"(10cm) Comfort Foam™
Padding - PF250 & PF200	3"(8cm) or 4"(10cm) Comfort Foam™
Warranty	3 years parts, 2 years labor
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate

\*\*Wood finish must be specified if other than Standard Natural. See page 78.

OPTIONS must be ordered	with table. See page 58 for details.	#
4"(10cm) Locking Casters	To easily move your table in the room	69926
**Wood Finishes - see pg. 78	Choice of 4 stains or 4 lacquer finishes	73136
Hand Control	Controls powered movements PF400	69168
Hand Control	Controls powered movements PF200 & PF250	69357
Non-USA electric system	Please contact us for order details	73134
ACCESSORIES order any time. See accessories on page 59.		#
Arm Rests (PF400)	Auto-adjusting & removable for easy access	74734-T*
Universal Table Extender with 4" Padding	21" (53cm) W x 12.5" (32cm) L	74736-T*
QuickLock™ Head Rest (black) & AeroCel Pad	Comfortable, adjustable prone or supine support.	PKG7554*
Paper Roll Holder	Vanilla - Accommodates 21" (53cm) roll (roll not included) Not FDA listed - see page 76	11349-02

<sup>\*</sup>Fabric color code must be specified. Fabric, finish & padding options on pages 77-79.

## PX SERIES EXAM TABLES



The PX Series Exam Tables give you the flexibility to create the perfect table for your needs at a lower price point. A wide array of options and accessories combine with great ergonomics and patient comfort to deliver a great value.

## LOW HEIGHT RANGE FOR EASY PATIENT TRANSFERS



#70891-T\* 31" W 4" Comfort #73569-T\* 29" W 4" Comfort

Motion I Electric Height: 21"-38" (53-97cm)

Motion 2 Electric Backrest: 0-70°

Motion 3 Electric Leg Section



**MODEL PX 150** #70892-T\* 31" W 3" Comfort

#72595-T\* 31" W 4" Comfort #73570-T\* 29" W 3" Comfort

#73571-T\* 29" W 4" Comfort

Motion I Electric Height: 21"-38" (53-97cm)

Motion 2 Lift-Assist Backrest: 0-80°



## ORTHOPEDIC HI-LO CASTING TABLE

#69268-T\* 31" W 2.5" Comfort

Motion 1 Electric Height: 17"-35" (43-89cm)

Motion 2 Lift-Assist Backrest: 0-90°

Motion 3 Manual Leg Section: 10-90°

Flat Top



#70893-T\* 31" W 3" Comfort #73412-T\* 31" W 4" Comfort #73572-T\* 29" W 3" Comfort #73573-T\* 29" W 4" Comfort

Motion I Electric 18"-35" (46-89cm) Height

## **PX SERIES EXAM TABLES**

FEATURES	
Top Dimensions - PX100, PX300 Casting	See above for widths x 73" (185cm) long
Top Dimensions - PX I 50	See above for widths x 75" (190cm) long
Foot Control	Controls all powered movements
Weight Capacity	550 lb (250kg)
Product Weight	200 lb (91kg)
Padding - PX I 00, PXI50	3"(8cm) or 4"(10cm) Comfort Foam™
Padding - PX300	4"(10cm) Comfort Foam™
Padding - Casting	2.5" Comfort Foam™
Side Rail	specify side - 23.5"(60cm) long x 6"(15cm) tall (from surface of the table) Orthopedic HiLo Casting Table
Warranty	3 years parts, 2 years labor
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS must be orde	red with table. See page 58 for details.	#
Locking Twin Casters (one end of the table)	To easily move your table in the room	63400
Hand Control	Controls powered movements PX300	72563
Hand Control	Controls powered movements PX100 & PX150	72559
Second Side Rail	23.5" (60cm) long x 6" (15cm) tall (from surface of the table) Orthopedic HiLo Casting Table	63264
Non-USA Electric	Please contact us for order details	73134
ACCESSORIES order at	ACCESSORIES order any time. See accessories on page 59.	
Arm Rests (PX300)	Auto-adjusting & removable for easy access	74734-T*
Universal Table Extender with 3" Padding	21" (53cm) W x 12.5" (32cm) L	74735-T*
Universal Table Extender with 4" Padding	21" (53cm) W x 12.5" (32cm) L	74736-T*
QuickLock™ Head Rest (black) & AeroCel Pad	Comfortable, adjustable prone or supine support	PKG7554*
Paper Roll Holder	Vanilla - Accommodates 21" (53cm) roll (roll not included) Not FDA listed - see page 76	11349-02

<sup>\*</sup>Fabric color code must be specified. Fabric & padding options on pages 77-79.

## POWERLINE EXAM TABLES



The PowerLine Exam Tables offer a very cost effective solution for facilities on a budget. The knock down design assembles in a few minutes and is rigid and strong.









Strong Hardware



Wave Backrest



Easy Set Up - Fold Out Legs



## **POWERLINE TABLE**

FEATURES	
Top Dimensions Backrest or Flat	27"(69cm) or 30"(76cm) wide x 72"(183cm) long
Height	30" (76cm)
Backrest Top	Manual Multi-Position
Weight Capacity	500 lb (227kg)
Product Weight	90 lb (41kg)
Padding	2.5" (6cm) Comfort Foam™
**Lacquer Finish	Choice of: Warm Maple, Cabernet, Chocolate, Ebony, or Bone
Paper Roll Holder	Accommodates 21" (53cm) roll (roll not included)
Warranty	3 years parts, labor not included
Safety Listings	FDA listed, CE marked

Width & Length is approximate due to variation in material.

#### POWERLINE BACKREST TOP

#67520-T\* 27" W 2.5" Comfort #67524-T\* 30" W 2.5" Comfort

#### POWERLINE FLAT TOP

#67528-T\* 27" W 2.5" Comfort #67531-T\* 30" W 2.5" Comfort

ACCESSORIES order any time. See accessories on page 59.		#
Storage Shelf	Easily access everything you need Adds 25 lb (11 kg)	51292
PowerLine Table Extender	27" (69cm) wide x 6" (15cm) long	51909-T*
PowerLine Table Extender	30" (76cm) wide x 6" (15cm) long	51910-T*
QuickLock™ Head Rest (black) & AeroCel Pad	Comfortable, adjustable prone or supine support	PKG7554*

<sup>\*</sup>Fabric color code must be specified. See page 79. \*\*Lacquer color must be specified. See page 78.

## PROCEDURE CHAIR & EXAM TABLE FEATURES & OPTIONS

### STIRRUPS #73175

Adjust to a wide range of angles & lengths to accommodate any patient or procedure.

Option: 100 Series & 300 Series Procedure Chairs, and PG350



#### SIDE RAILS #61781

Increase stability & security for your clients with a pair of side rails. Fold down out of the way when not in use. 23.5" (60cm) long x 6" (15cm) tall (from surface of table)

Standard Feature: HiLo Casting Table (1 rail) Option: PG Series Tables



## CENTRAL BASE LOCKING SYSTEM #61777

Easily secure your table into place with the central base locking system.

Option: PG Series Exam Tables



## **ACCESSORY** MOUNTING PLATE

Add a face rest or table extender to your table.

**Option: PGSeries Tables** 

#62123



#### **FULL FUNCTION** #enquire for part number

You may choose to have two controls: two foot or one hand & one foot.

Option: All Exam Tables & Procedure Chairs



Multi-Function Foot Control



Multi-Function Hand Control

## PROCEDURE TRAY #73042

Retractable, removable stainless steel. 12.25" (6cm) x 10.25" (26cm) & holds 2 quarts (1.9 liters)

Option: 100 Series & 300 Series Procedure Chairs, & PG350 MUST HAVE 4" PADDING



## CASTERS

#63400 PX Series #69926 PF Series

Feature: PG Series Tables come standard with 4" locking casters.

Option: PFSeries, PXSeries, & Orthopedic HiLo Casting Table.



Casters shown On PF Series

## 300 SERIES ARM REST

#73064-T\*

These removable arm rests rotate horizontally & always stay level. 7.5" (19cm) wide at widest point x 23" (58cm) long

Available on: 300 Series Procedure Chair



# PROCEDURE CHAIR & EXAM TABLE ACCESSORIES

### T-RAIL ADAPTER #61902

Multiple locations allow you to choose the best spot for this easily installed & removed accessory capable of handling up to 150 lb (68kg). Can be used with any American standard accessory.

8" (20cm) long

Available on: 100 Series & 300 Series Procedure Chairs and PG Series Tables.



## QUICKLOCK™ HEAD REST & AERO·CEL PAD

#PKG67554\*

The platform allows precise cervical flexion and height positioning over a wide range for both prone & supine treatments.

Available on: PF Series, PX Series, PowerLine Tables, Portable Exam Table, & PG Series (Accessory Mounting Plate required with PG Series Tables)



## ADJUSTABLE SIDE ARM RESTS #74734-T\*

These incredibly versatile, removable arm rests rotate horizontally & always stay level. 7" (18cm) wide at widest point x 23.5" (60cm) long

Available on: PF400 and PX300





# UNIVERSAL TABLE EXTENDER #74735-T\* 3" padding #74736-T\* 4" padding

Perfect as a head rest or foot rest, it has two rods that fit into outlets on the table. Extends table to 84". 21" (53cm) W x 12.5" (32cm) L

Available on: PF Series, PX Series, & PG Series (Accessory Mounting Plate required with PG Series)



## POWERLINE TABLE EXTENDER

#51909-T\* 27" wide #51910-T\* 30" wide

Extend your PowerLine Table to 78" or even 84". Attach to accessory outlets at either end of the table.

27" (69cm) or 30" (76cm) W x 6" (15cm) L.

Available on: PowerLine Tables



## DETACHABLE ARM BOARD #62192-T\*

Includes clamp to attach Arm Board to the T-rail Adaptor & rotates over 140 degrees. 5"(13cm) wide x 20.5" (52cm) long

Available On PG Series Requires T-rail Adapter



## PHYSICAL THERAPY


Translating evidence into practice via ergonomically efficient products.



## **TABLES**

## **Excellent Ergonomics**

Unique base design takes up less space than cantilevered designs in small spaces and has more foot space underneath, making it easier for PTs to position themselves efficiently.



## **Safer Designs**

Products feature a **550 lb.** patient weight capacity and are extremely stable.



## **ADA Compliant Height Range**

With all tables going as low as 16"-19", safely transferring patients is possible and the tables could be eligible for tax breaks.







## PHYSICAL THERAPY TABLES

**PT400 Table** #70508-T\* 29" W 1.75" Firm Response #71775-T\* 31" W 1.75" Firm Response

#73393-T\* 29" W 2.5" Comfort #73392-T\* 31" W 2.5" Comfort



FEATURES
3-Section Top: 29" (74cm), or 31" (79cm) wide x 73" (185cm) long
Electric Height Range: 17" - 35" (43-89cm)
Electric Center Break: 0°-45°
Lift-Assist Backrest: 0°-85°
Manual 10" (25cm) Head Section 47°92°
Foot Control
Weight Capacity: 550 lb (250kg)
Padding: 1.75" (4cm) Firm Response, 2.5" (6cm) Comfort
Warranty: 3 years parts, 2 years labor
FDA listed, CE marked, cETLus listed, CB Certificate

	<b>OPTIONS</b> must be ordered with table	#
	Locking Twin Casters (one end of the table)	63400
	Non USA Electric System (contact us for details)	73145
	Second Foot Control	61900
	Hand Control	69405

## PT400M Table #PKG6099-T\* 1.75" Firm Response #PKG6770-T\* 2.5" Comfort Foam



FEATURES
Contoured Top: 29.5" (75cm) wide (at widest point) x
74" (188cm) long (including head rest)
Electric Height Range: 18" - 36" (46-91cm)
Electric Center Break 0°- 45°
Foot Control
Weight Capacity: 550 lb (250kg)
Padding: 1.75" (4cm) Firm Response, 2.5" (6cm) Comfort
Accessory Mounting Plate (both ends)
QuickLock™ Head Rest & Boiance™ pad
Warranty: 3 years parts, 2 years labor
FDA listed, CE marked, cETLus listed, CB Certificate

<b>OPTIONS</b> must be ordered with table	#
Locking Twin Casters (one end of the table)	63400
Non USA Electric System (contact us for details)	73145
Second Foot Control	61900
Hand Control	69405
ACCESSORIES order any time	#
PT400M Extension Pad	72187-T*

ACCESSORIES order any time	#
PT400M Extension Pad	72187-T*
PT400M Rotating Arm Rests	72184-T*
PT400M Shelf Bracket (use with extension pad as lowered arm rest shelf)	72203
Stabilization Strap	63530

**PT300 Table** #68776-T\* 29" W 1.75" Firm Response #68714-T\* 31" W 1.75" Firm Response

#68840-T\* 29" W 2.5" Comfort #70278-T\* 31" W 2.5" Comfort



FEATURES
3-Section Top: 29" (74cm) or 31" (79cm) wide x 73" (185cm) long
Electric Height Range: 16" - 34" (41-86cm)
Lift-Assist Backrest 0°-85°
Manual II" Head Section 40°90°
Foot Control
Weight Capacity: 550 lb (250kg)
Padding: 1.75" (4cm) Firm Response, 2.5" (6cm) Comfort
Accessory Mounting Plate (Backrest end)
Warranty: 3 years parts, 2 years labor
FDA listed, CE marked, cETLus listed, CB Certificate

	OPTIONS must be ordered with table	#
-	Locking Twin Casters (one end of the table)  Non USA Electric System (contact us for details)	63400
	Non USA Electric System (contact us for details)	73145
	Second Foot Control Hand Control	69615
	Hand Control	69405

**PT250 Table** #69193-T\* 29" W 1.75" Firm Response #68644-T\* 31" W 1.75" Firm Response

#70234-T\* 29" W 2.5" Comfort #70236-T\* 31" W 2.5" Comfort



FEATURES
2-Section Top: 29" (74cm), or 31" (79cm) wide x 73" (185cm) long
Electric Height Range: 16" - 34" (41-86cm)
Manual II" Head Section: 40°90°
Foot Control
Weight Capacity: 550 lb (250kg)
Padding: 1.75" (4cm) Firm Response, 2.5" (6cm) Comfort
Accessory Mounting Plate (Foot end)
Warranty: 3 years parts, 2 years labor
FDA listed, CE marked, cETLus listed, CB Certificate

<b>OPTIONS</b> must be ordered with table	#
Locking Twin Casters (one end of the table)	63400
Non USA Electric System (contact us for details)	73145
Second Foot Control	69615
Hand Control	69405
	•

See page 72-73 for accessories.

\*Fabric color code must be specified. Fabric, finish, & padding options on pages 77-79.

## PHYSICAL THERAPY TABLES

### **PT150 & PT100 Tables**

ATTOP #68/67-1* 29" W 1.75" Firm Response #68	934-1* 29" W 2.5" Comfort
FEATURES	<b>OPTIONS</b> must be ordered with table
PT150 2-Section Top: 29" or 31" (74 or 79cm) wide x	Locking Twin Casters (one end of the table)
75" (190cm) long	Non USA Electric System (contact us for details)
PT100 Flat Top: 27"(69cm) or 29" (74cm) wide x	Second Foot Control
73" (185cm) long	Hand Control
Electric Height Range: 16" - 34" (40-86cm)	
Lift Assist Backrest (PT150): 0°-85°	
Foot Control	
Weight Capacity: 550 lb (250kg)	
Padding: 1.75" (4cm) Firm Response, 2.5" (6cm) Comfort	
Accessory Mounting Plate (Backrest end)	



FDA listed, CE marked, cETLus listed, CB Certificate

Warranty: 3 years parts, 2 years labor

BACKREST TOP #67519-T\* 27" W 1.75" Firm Response #67520-T\* 27" W 2.5" Comfort #67524-T\* 30" W 1.75" Firm Response FLAT TOP #67526-T\* 27" W 1.75" Firm Response #67528-T\* 27" W 2.5" Comfort #67528-T\* 27" W 2.5" Comfort #67528-T\* 27" W 2.5" Comfort #67531-T\* 30" W 2.5" Comfort #67531-T\* 30" W 2.5" Comfort

FEATURES	ACCESSORIES order any time	#
Top: 27" (69cm) or 30" (76cm) wide x 72" (183cm) long	PowerLine Table Extender (27" wide) (69cm)	51909-T*
Height: 30" (76cm)	PowerLine Table Extender (30" wide) (76cm)	51910-T*
Manual Multi-Position Backrest or Flat Top	QuickLock™ Head Rest (black) & AeroCel pad	PKG6914-T*
Weight Capacity: 500 lb (227kg)	Stabilization Strap	63530
Padding: 1.75" (4cm) Firm Response, 2.5" (6cm) Comfort	Storage Shelf	51292
Lacquer Finish: Choice of Warm Maple, Cabernet, Chocolate, Ebony, or Bone		
Paper Roll Holder	Width & Length is approximate due to variatio	n in material.

Chocolate, Ebony, or Bone
Paper Roll Holder
Warranty: 3 years parts, labor not included
FDA listed, CE marked

**Storable Mat** 

#37424-T\* 33" W 1.75" Firm Response #33732-T\* 35" W 1.75" Firm Response #48848-T\* 40" W 1.75" Firm Response #46798-T\* 40" W 2.5" Comfort

FEATURES	<b>OPTIONS</b> must be ordered with table	#
Top: 33" (84cm), 35" (89cm), or 40" (102cm) wide x	Stabilizing Feet (4 included with 40" (102cm) W)	59146
78" (198cm) long		
Height: 16" - 25" (41-64cm)	ACCESSORIES order any time	#
Weight Capacity: 450 lb (250kg)	QuickLock™ Head Rest (black) & AeroCel pad	PKG6914-T*
Padding: I.75"(4cm) Firm Response, 2.5"(6cm) Comfort Foam™	Stabilization Strap (33" & 35" (84&89cm) W)	63530
Warranty: 3 years parts, labor not included		
FDA listed CF marked		



## Portable Manipulation Table #36639-T\* 27" W 1.75" Firm Response

1		•
FEATURES	ACCESSORIES order any time	#
Top: 27" (69cm) wide x 73" (185cm) long	Carry Case	22911
Height: 24" - 34" (61-86cm)	Paper Roll Holder (vanilla)	11580
Weight Capacity: 450 lb (250kg)	QuickLock™ Head Rest (black) & AeroCel pad	PKG6914-T*
Table Weight: 25 lb (11kg)	Stabilization Strap	63530
Padding: 1.75" Firm Response		•
Warranty: 3 years parts, labor not included		



FDA listed, CE marked



\*Fabric color code must be specified. Fabric, finish, & padding options on pages 77-79.

51292

73145 69615 69405

## 550 LB LIFTING CAPACITY

- Powered center break
- Can be used as a chair or table
- Uniform stability maintained in 17" - 35" electric height range







Shown with optional Locking Twin Casters

#### atch the video!

Scan this code with your smart phone or visit the YouTube channel "Oakworks Medical"












## PT400

#70508-T\* 29" W 1.75" Firm Response #73393-T\* 29" W 2.5" Comfort #73392-T\* 31" W 2.5" Comfort #71775-T\* 31" W 1.75" Firm Response

#(1(()-1 · )1 W 1	() FIIII Ne	sponse	#13392-1	31 W Z.	Connort
FEATURES					
3 Section Top	29" (74cm) or	31" (79cm) v	vide x 73"(185	cm) long	
Backrest	39" (99cm) lon	g			
Seat	23" (58cm) lon	g			
Head	11" (28cm) lor	ng			
Motion I	Electric Height	Range: 17"-	35" (43-89cm)		
Motion 2	Electric Center	Break 0°- 45	0		
Motion 3	Manual Lift-Assist Backrest 0°- 85°				
Motion 4	Manual position head section 47°to -92°				
Controls	Multi-function foot control				
Weight Capacity	550 lb (250kg)				
Product Weight	198 lb (90 kg)				
Padding	1.75" (4cm) Firm Response or 2.5" (6cm) Comfort Foam™				
Warranty	3 years parts, 2 years labor				
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate				
OPTIONS must be ordered with table. #			#		
Locking Twin Casters (one end of the table) To easily move your table in		the room	63400		
Non-USA electric system Call for ordering details 7314		73145			

Controls all powered movements

Controls all powered movements



See page 72-73 for accessories.

\*Fabric color code must be specified. Fabric & padding options on pages 77-79.

61900

69405

Second Foot Control

Hand Control

## PT400M

## 550 LB LIFTING CAPACITY

- Powered center break & height
- Optional arm rests & table extenders
- · Contoured ergonomic design
- Advanced head support included





#### Watch the video!

Scan this code with your smart phone or visit the YouTube channel "Oakworks Medical"










### **PT400M**

FEATURES			
2 Section Contoured Top	29.5" (75cm) wide (at widest point) x 74" (188cm) long (including head rest)		
Motion I	Electric Height Range 18"- 36" (44-90cm)		
Motion 2	Electric Center Break 0°-45°		
Controls	Multi-function foot control		
Weight Capacity	550 lb (250kg)		
Product Weight	186 lb (84kg)		
Padding	1.75" (4cm) Firm Response or 2.5" (6cm) Co	omfort Foam™	
Included Features	QuickLock™ Head Rest & Boiance™ pad, Accessory Mounting Plate (both ends)		
Warranty	3 years parts, 2 years labor		
Safety Listings FDA listed, CE marked, cETLus listed, CB Certificate			
OPTIONS must be ordered with table. #			
Locking Twin Casters (one end of the table)	To easily move your table in the room	63400	
Non-USA electric system	Call for ordering details	73145	
Second Foot Control	Controls all powered movements	61900	
Hand Control	Controls all powered movements	69405	
ACCESSORIES order any time. See a	ACCESSORIES order any time. See accessories on pages 72-73. #		
Extension Pad	Use as table extender or lowered arm rest shelf (bracket required) 22.5"(57cm) wide x 9"(23cm) long	73592*	
Rotating Arm Rests	Set of 2 4.5" (11 cm) wide x 16" (41 cm) long	72184-T*	
Shelf Bracket	To use Extension Pad as a lowered arm rest shelf	72203	



See page 72-73 for accessories.

\*Fabric color code must be specified. Fabric & padding options on pages 77-79.

## PT300

## 550 LB LIFTING CAPACITY

- Super low 16" height
- Patient examination ergonomic efficiency
- Cost effective 3-section table
- · Stiff twin beam construction



**Dr. Robert DuVall,** PT, DHSc, ATC, OCS, SCS, FAAOMPT CSCS



## PT300

#68776-T\* 29" W 1.75" Firm Response #68840-T\* 29" W 2.5" Comfort #68714-T\* 31" W 1.75" Firm Response #70278-T\* 31" W 2.5" Comfort

phone or visit the YouTube channel "Oakworks Medical"

FEATURES		
3 Section Top	29" (74cm) or 31" (79cm) wide x 73" (1856	cm) long
Backrest	39" (99cm) long	
Seat	23" (58cm) long	
Head	11" (28cm) long	
Motion I	Electric Height Range 16"-34"(40-86cm)	
Motion 2	Manual Lift-Assist Backrest 0°-85°	
Motion 3	Manual position head section 40° to -90°	
Controls	Foot control	
Weight Capacity	550 lb (250kg)	
Product Weight	160 lb (73kg)	
Padding	1.75" (4cm) Firm Response or 2.5" (6cm) Comfort Foam™	
Included Features	Accessory Mounting Plate (Backrest End)	
Warranty	3 years parts, 2 years labor	
Safety Listings	FDA listed, CE marked, cETLus listed, CB Cer	tificate
OPTIONS must be ordered a	vith table.	#
Locking Twin Casters (one end of the table)	To easily move your table in the room	63400
Non-USA electric system	Call for ordering details	73145
Second Foot Control	Height	69615
Hand Control	Controls all powered movements	69405

#### 0°-82° LIFT-ASSIST BACKREST

This easy to use system makes it possible to adjust the table effortlessly even when your patient is on the table. The powerful gas cylinders are controlled by easy to reach finger controls that lock the table securely in place after movement.









See page 72-73 for accessories.

\*Fabric color code must be specified. Fabric & padding options on pages 77-79.

## PT250

### 550 LB LIFTING CAPACITY

- Super low 16" height
- Vertebral Artery Testing efficiently and safely
- Optimize Examination/ Dry needling







## Watch the video!

Scan this code with your smart phone or visit the YouTube channel "Oakworks Medical"




"The drop down head section feature enables patient safe & Physical Therapist efficient cervical examination and treatment."

**Dr. Robert DuVall,** PT, DHSc, ATC, OCS, SCS, FAAOMPT CSCS

### PT250

#69193-T\* 29" W 1.75" Firm Response #70234-T\* 29" W 2.5" Comfort #68644-T\* 31" W 1.75" Firm Response #70236-T\* 31" W 2.5" Comfort

FEATURES		
2 Section Top	29"(74cm) or 31"(79cm) wide x 72"(183cm) long	
Flat Section	61"(155cm) long	
Head Section	11"(28cm) long	
Motion I	Electric Height Range 16"-34" (40-86cm)	
Motion 2	Manual position head section 40°to -90°	
Controls	Foot control	
Weight Capacity	550 lb (250kg)	
Product Weight	151 lb (69kg)	
Padding	1.75" (4cm) Firm Response or 2.5" (6cm) Comfort Foam™	
Included Features	Accessory Mounting Plate (Foot End)	
Warranty	3 years parts, 2 years labor	
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate	
OPTIONS must be ordered t	with table.	#
Locking Twin Casters (one end of the table)	To easily move your table in the room	63400
Non-USA electric system	Call for ordering details	73145
Second Foot Control	Height	69615
Hand Control	Controls all powered movements	69405





Enhances maneuverability in small spaces & allows PT to treat patients from either side of the table.

## PTI50 & PTI00

### 550 LB LIFTING CAPACITY

- Super low 16" height
- Lift-Assist backrest 0°-85°
- Stiff twin beam construction



### PTI50 2-SECTION TOP

#72251-T\* 29" W 1.75" Firm Response #73271-T\* 31" W 1.75" Firm Response #71810-T\* 29" W 2.5" Comfort #73402-T\* 31" W 2.5" Comfort

#### PT100 RECTANGULAR TOP

#73403-T\* 27" W 1.75" Firm Response #68767-T\* 29" W 1.75" Firm Response #73404-T\* 27" W 2.5" Comfort #68934-T\* 29" W 2.5" Comfort

FEATURES		
PT150		
2 Section Top	29"(74cm) or 31"(79cm) wide x 75"(191	cm) long
Backrest	39" (99cm) long	
Seat Section	36" (91 cm) long	
Motion I	Electric 16"-34" (40-86cm) Height Range	
Motion 2	Manual Lift-Assist Backrest 0°-85°	
PT100		
Rectangular Top	29" (74cm) wide x 73" (185cm) long	
Motion I	Electric 16"- 34" (40-86cm) Height Range	
Controls	Foot control	
Weight Capacity	550 lb (250kg)	
Product Weight	151 lb (69kg)	
Padding	1.75" (4cm) Firm Response or 2.5" (6cm) Comfort Foam™	
Included Features	Accessory Mounting Plate (Backrest End)	
Warranty	3 years parts, 2 years labor	
Safety Listings	FDA listed, CE marked, cETLus listed, CB Cer	tificate
OPTIONS must be ordere	d with table.	#
Locking Twin Casters (one end of the table)	To easily move your table in the room	63400
Non-USA electric system	Call for ordering details	73145
Second Foot Control	Height	69615
Hand Control	Controls all powered movements	69405



"Multi-functional table for ergonomically efficient manual therapy, neuromuscular re-education both conveniently applied to therapeutic activities necessary to achieve optimal patient outcomes."

**Dr. Robert DuVall,** PT, DHSc, ATC, OCS, SCS, FAAOMPT CSCS





Optional Locking Twin Casters

Enhances maneuverability in small spaces and allows PT to treat patients from either side of the table.

See page 72-73 for accessories.

\*Fabric color code must be specified. Fabric & padding options on pages 77-79.

## POWFRLINE

### 500 LB WEIGHT CAPACITY

- Heavy-duty construction
- Strongest table in its class
- Easy setup
- Ships in one box with hardware included!
- 3 year parts warranty



#### **BACKREST TOP**

#67519-T\* 27" W 1.75" Firm Response #67522-T\* 30" W 1.75" Firm Response #67520-T\* 27" W 2.5" Comfort #67524-T\* 30" W 2.5" Comfort

#### **FLAT TOP**

#67526-T\* 27" W 1.75" Firm Response #67529-T\* 30" W 1.75" Firm Response #67528-T\* 27" W 2.5" Comfort #67531-T\* 30" W 2.5" Comfort

FEATURES			
Backrest or Flat Top	27" (69cm) or 30" (76cm) wide x 72" (183cm) long		
Height	30" (76cm)		
Backrest Top	Manual Multi-Position		
Weight Capacity	500 lb (227kg)		
Product Weight	87 lb (39kg)		
Padding	1.75" (4cm) Firm Response or 2.5" (6cm) Comfort Foam™		
**Lacquer Finish	Choice of: Warm Maple, Cabernet, Chocolate, Ebony, or Bone		
Paper Roll Holder	fits up to 22" (56cm) wide paper rolls		
Warranty	3 years parts, labor not included		
Safety Listings	FDA listed, CE marked		
ACCESSORIES order any	time. See accessories on pages 72-73.	#	
PowerLine Table Extender	27"(69cm) wide x 6"(15cm) long	51909-T*	
PowerLine Table Extender	30"(15cm) wide x 6"(15cm) long	51910-T*	
QuickLock™ Head Rest (black) & AeroCel Pad	Comfortable, adjustable prone or supine support	PKG67554*	
Stabilization Strap	Stabilize your patient	63530	
Storage Shelf	Fits both widths	51292	

Width & Length is approximate due to variation in material.

See page 72-73 for accessories.



## LACQUER FINISH



Now available on PowerLine tables, Oakworks® lacquers are highly water resistant and can be wiped down with disinfectants as needed. Lacquers are opaque and have a solid appearance.

\*Fabric color code must be specified.
\*\*Lacquer color must be specified.
Fabric, finish, and padding options on pages 77-79.

## STORABLE MAT

450 LB WEIGHT CAPACITY

- 16"-25" height range
- Ultra stiff leg bracing
- · Space saving design
- 40" width option
- ADA Compliant



STABILIZATION STRAP ACCESSORY

**UP TO 40"** 

Great for range of motion, mobilization & isolation!



Use with either 33" or 35" wide Storable Mat to stabilize your patient. See more details on page 73.

CS System™ (Complementary Suspension):

UniLock™: U.S. Patent # 7,472,656

U.S. Patent #6,192,809

## #37424-T\* 33" W 1.75" Firm Response

#33732-T\* 35" W 1.75" Firm Response

#48848-T\* 40" W 1.75" Firm Response

#33738-T\* 33" W 2.5" Comfort

#33792-T\* 35" W 2.5" Comfort

#46798-T\* 40" W 2.5" Comfort

FEATURES	
Rectangular Top	33" (84cm), 35" (89cm) or 40" (102cm) wide x 78" (198cm) long
Height	16"- 25" (41-64cm)
Weight Capacity	450 lb (250kg)
Product Weight	40-55 lb (18-23kg)
Padding	1.75" (4cm) Firm Response or 2.5" (6cm) Comfort Foam
Warranty	3 years parts, labor not included
Safety Listings	FDA listed, CE marked

OPTIONS must be orde	#	
Stabilizing Feet set of 4 are included with 40"W (18cm)		PKG7929
ACCESSORIES order ar	#	
QuickLock™ Head Rest (black) & AeroCel Pad	Comfortable, adjustable prone or supine support	PKG7554*
Stabilization Strap	33 & 35"W (84&89cm)	63530



#### **QUICK PORTABILITY**

With its space saving design, the Storable Mat folds up easily for storage and is ready to follow wherever you go.



#### STABILIZING FEET

For maximum stability each 40" Storable Mat comes standard with stabilizing feet, which easily fold out of the way for storage.

See page 72-73 for accessories.

## PORTABLE MANIPULATION TABLE

### 450 LB WEIGHT CAPACITY

- Easily portable at only 25 lb
- · Optimal body mechanics for any therapist
- Firm Response foam minimizes Dry Hits and increases reliability of examinations.
- Designed for Manual Manipulation, Range of Motion & Manual Muscle Testing



Desirable portability for Physical Therapists in school, internship, residency or fellowship training environments.





"The Portable Manipulation Table from Oakworks® offers an outstanding platform for performing thrust & non-thrust manipulation. The team at Oakworks® has listened to the feedback of practicing manual physical therapists & created a high value & excellent performing product. You can't ask anything more out of a portable manipulation table!"

Timothy W. Flynn, PT, PhD

### PORTABLE MANIPULATION TABLE

#36639-T\* 27" W 1.75" Firm Response

FEATURES	
Rectangular Top	27" (69cm) wide x 73" (185cm) long
Height Range	24"-34" (61-86cm)
Weight Capacity	450 lb (250kg)
Product Weight	25 lb (1 l kg)
Padding	1.75" (4cm) Firm Response
Warranty	3 years parts, labor not included
Safety Listings	FDA listed, CE marked

ACCESSORIES order any time. See accessories on pages 72-73. #			
Carry Case	Carry and protect your table	22911	
Paper Roll Holder	Vanilla - Accommodates 21" (53cm) roll (roll not included)	11580	
Paper Roll Holder	Black - Accommodates 21" (53cm) roll (roll not included)	11349	
QuickLock™ Head Rest (black) & AeroCel Pad	Comfortable, adjustable prone or supine support	PKG67554*	
Stabilization Strap	stabilize your patient	63530	



**ADJUSTABLE** 24"-34" height range is ergonomically correct for any therapist.



#### **CARRY CASE**

Take your table with you to home visits & maintain a consistent working surface for measurable results.

This product is not FDA Listed.

See page 72-73 for accessories.

## PHYSICAL THERAPY ACCESSORIES

## PRONE PILLOW #66180-T01

### THE MOST COMFORTABLE PRONE POSITIONER!

- Increased ventilation & improved comfort
- Low profile reduces cervical extension/flexion
- Superior positioning for any size patient
- Removable, easy to clean pads



## Watch the video!

Scan this code with your smart phone or visit the YouTube channel "Oakworks Medical"



#### PROPRIETARY PAD SYSTEM

- Removable pads are easy to clean & less costly to replace
- High quality covered soft cushions last much longer and are more comfortable than any vinyl coated rigid foam, & they are replaceable!





#### **PRONE PILLOW**

FEATURES	
Weight	2.6 lb (1.2kg)
Overall Dimensions	20"L x 20.5"W x 6.25"H (51cm L x 52cm W x 16cm H)
Removable Padding	Face Rest, Bolster
Fabric	TerraTouch™ Coal
Warranty	I year
Safety Listings	FDA listed, CE marked

## BOIANCE FLOAT #71797-TO

### PATENTED WATER SPHERE TECHNOLOGY

US Patent # 9,084,494



## Watch the video!

Scan this code with your smart phone or visit the YouTube channel "Oakworks Medical"



shown with the Boiance face rest crescent

- Incredible freedom of movement in all directions
- Eliminate compression of the cervical spine
- Just insert between cradle & pad!

6 Water Spheres float the pillow and isolate it from the platform and table. Just place the Float between your face rest pad & platform.

This product is not FDA Listed.

## PHYSICAL THERAPY ACCESSORIES

## STABILIZATION STRAP #63530

## GREAT FOR RANGE OF MOTION, MOBILIZATION & ISOLATION

- · Adjustable in length over a wide range for stabilization of any body part
- Designed to work with PT400M, PowerLine™ table, Portable Manipulation table, and Storable Mat (excluding 40")
- Wide straps offer more surface area for client comfort
- Great for range of motion, mobilization, isolation











## the video!

Scan this code with your smart phone or visit the YouTube channel "Oakworks Medical"



## OUICKLOCK™ HEAD REST & AFRO: CFL PAD

#### #PKG7554\*

The platform allows precise cervical flexion and height positioning over a wide range for both prone & supine treatments.

Available on: PowerLine Tables, Storable Mat, and Portable Manipulation Table



## REMOVABLE **EXTENSION PAD**

#73592\*

Extend the length of your table.

Attach to accessory outlets at either end of the table.

22.5" (57cm) wide x 9" (23cm) long.



## POWERLINE TABLE EXTENDER

#51909-T\* 27" wide #51910-T\* 30" wide

Extend your PowerLine Table to 78" or even 84". Attach to accessory outlets at either end of the table.

27" (69cm) or 30" (76cm) W x 6" (15cm) L. Available on: PowerLine Tables



## **STOOLS**

- 300 lb. weight rating
- High quality, long lasting foam
- Pneumatic height adjustment
- 21 colors of fabric



Professional Stool with Backrest #60356-T\* 18-24"



Professional Stool with Saddle Seat #60373-T\* 19-25" #60430-T\* 22-29"



Premium Stool with Backrest #60352-T\* 18-24" #60397-T\* 20-28"



Premium Stool with Saddle Seat #60370-T\* 19-25" #60427-T\* 22-29"



Professional Stool #60342-T\* 18-24" #60389-T\* 21-28"



Premium Stool #60339-T\* 18-24" #60386-T\* 20-28"



Basic Stool 18" - 24" #46130-T01 Coal #61011-T05 Heron #61011-T08 Ruby (Made in China)



These products are not FDA Listed.

## **BOLSTERS**

- Comfortable and supportive
- Many different sizes and styles
- 21 colors of fabric

These products are not FDA Listed.





6" Half-round  $3"H \times 26"L$ #32045-T\*

8" Half-round  $4"H \times 26"L$ #56448-T\*

6" Semi-round 4.5"h x 26"l #32050-T\*

8" Semi-round  $6.5"H \times 26"L$ #32054-T\*

6" Round 6"D x 26"L #32231-T\*

8" Round 8"D x 26"L #32236-T\*

#### PILLOW COVERS

#66440-T\* King size #59226-T\* Standard size

These products are not FDA Listed.

Available in your choice of 21 colors of our TerraTouch fabric, these covers create a hygienic way of using pillows.



#### WEDGE BOLSTER

#41739-T\* This product is not FDA Listed.

Easily used as a backrest or leg support. 24" W x 10" H x 24" L with a 36° incline.







### RECTANGULAR BOLSTER

#57253-T\* This product is not FDA Listed.

Designed specifically to support a patient's leg when in a side lying position, this rectangular bolster offers two levels of height & ample surface area. 7"W x 10"H x 27"L



### PRONE PILLOW #66180-T01 FDA Listed



### SIDE LYING POSITIONING SYSTEM

#1564-T\* This product is not FDA Listed.

Designed to safely support patients in side lying positions for extended periods. Excellent for pregnant women. System includes 5 separate cushions.



Vatch the video!

Scan this code with your smart phone or visit the YouTube channel "Oakworks Medical"

## **GENERAL** ACCESSORIES

### PAPER ROLL HOLDER This broduct is not FDA Listed.

#11349-02 vanilla #11349-01 black

This simple design is adjustable to accommodate different size rolls up to 21" (53cm) wide & plugs into the table's outlet holes. (paper roll not included)

#### Available on: PF Series, PX Series



### AERO•CEL™ FACE REST CRESCENT

Soft & supportive, this face rest is much more comfortable than face holes.



#37378-T\* Our standard

Face Rest Crescent This product is not FDA Listed.



#56418

Radiolucent Face Rest Crescent designed specifically for Imaging Tables



OAKWORKS

Face Rest Crescent with Oakworks logo used with the Spine Positioning System

#62008

#### DISPOSABI F FACE REST COVERS

#52065 Flat #52067 Fitted

These products are not FDA Listed.

Provides a hygienic covering for your face rest. Flat covers sold 100 per package; Fitted covers sold 50 per box.



**Fitted** 

#### BODY CURVE

#41606-T\* This product is not FDA Listed.

The Body Curve is designed to perfectly support the cervical spine and offer great accessibility to the neck.



#### UNIVERSAL TABLE EXTENDER

#74735-T\* 3" Comfort #74736-T\* 4" Comfort

Extend the length of your table. Insert into the table's accessory outlets or store out of the way when not in use. 21" (53cm) W x 12.5" (32cm) L



## **PADDING**

Oakworks uses the highest quality US Made polyurethane foams in its products. Each option has a unique combination of different foams & thicknesses to create the best balance of performance and comfort for your needs. Please consult specific product literature to see the padding options available: not all options are available on each product.



2.5" Comfort Foam™
Comfort and support



**3" Comfort Foam**<sup>™</sup> More comfort and support



4" Comfort Foam™ Superior comfort and support



I", 2" Comfort Foam™ Imaging table top pads



1.75" Firm Response
Very firm
(Physical Therapy tables)





STAINS AND LACQUERS

## Lacquers available on PF Series and PowerLine Stains available on PF Series

Oakworks® finishes are highly water resistant and can be wiped down with disinfectants as needed. Stains allow the natural grain of the wood to show through and create depth. Lacquers are more opaque and have a more solid appearance.



PFSeries Standard Natural Finish



Optional Stains



Optional Lacquers



THERMOFORM COLORS

Available on 100 and 300 Series Chairs. Color code must be specified.













We strive to ensure that the colors displayed on our product imagery (online and in print) are as accurate as possible. However, due to the limitations of printers, scanners, computer monitors, and other equipment, the colors may not be accurate.

## TERRATOUCH™ FABRIC



We strive to ensure that the colors displayed on our product imagery (online and in print) are as accurate as possible. However, due to the limitations of printers, scanners, computer monitors, and other equipment, the colors may not be accurate.





Please visit our website, www.oakworksmed.com, to view our complete line of tables and accessories for C-arm Imaging, Pain Management, Ultrasound, Urology, Lithotripsy, Exam & Treatment.



### All of our tables and procedure chairs are FDA Listed.



FM584901

Oakworks, Inc. is ISO 13485 certified. The ISO standard is intended to ensure that medical device manufacturers have the required quality management systems in place to safely design, manufacture and distribute medical devices. This registration certifies that Oakworks, Inc.'s quality system conforms to these requirements in our state-of-the-art 90,000 square foot factory in New Freedom, Pennsylvania.

Oakworks Medical 717.235.6807 www.oakworksmed.com